




SD  
144  
Mc A9

Author \_\_\_\_\_

Title \_\_\_\_\_

Imprint \_\_\_\_\_



*Mr. Gilbert*

DEPARTMENT OF THE INTERIOR—U. S. GEOLOGICAL SURVEY  
CHARLES D. WALCOTT, DIRECTOR

---

TIMBER CONDITIONS

IN THE

PINE REGION OF MINNESOTA

BY  
*H. B. Ayres*  
H. B. AYRES  
*14*

---

EXTRACT FROM THE TWENTY-FIRST ANNUAL REPORT OF THE SURVEY, 1899-1900  
PART V, FOREST RESERVES—HENRY GANNETT, CHIEF OF  
DIVISION OF GEOGRAPHY AND FORESTRY



WASHINGTON  
GOVERNMENT PRINTING OFFICE  
1900

SD144  
M6A9



---

---

**TIMBER CONDITIONS OF THE PINE REGION  
OF MINNESOTA**

BY

**H. B. AYRES**



## CONTENTS.

---

	Page.
Boundaries.....	679
Species .....	679
Timber trees .....	680
Distribution.....	680
Explanation of map .....	681
Estimates.....	682
Classification of forest land.....	684
Forest history.....	685
Fires .....	685
Fires on stump land.....	687
Fire protection.....	687
New growth .....	688
Value of stump land.....	688





## ILLUSTRATION.

---

	Page.
PLATE CXLIII. Map of the pine region of Minnesota, showing classification of lands.....	In atlas.



# TIMBER CONDITIONS OF THE PINE REGION OF MINNESOTA.

By H. B. AYRES.

## BOUNDARIES.

The pine lands of Minnesota, as indicated by the earliest surveys, extended to the State line on the north and east, while southward they merged into the hardwood "park region" along the southern lines of Pine and Kanabec counties. Thence westward the irregular border passed near Milaca, Little Falls, and Wadena to Frazer City and northward to the western extremities of Red Lake and Lake of the Woods.

## SPECIES.

The trees composing this forest are:

*Species found in pine region of Minnesota.*

White pine.....	Pinus strobus Linn.
Jack pine .....	Pinus divaricata (Ait.) Du Mont de Cours.
Norway or red pine.....	Pinus resinosa Ait.
Tamarack .....	Larix laricina (Du Roi) Koch.
White cedar.....	Thuja occidentalis Linn.
Red cedar.....	Juniperus virginiana Linn.
Black spruce .....	Picea mariana (Mill.) B. S. P.
White spruce.....	Picea canadensis (Mill.) B. S. P.
Balsam .....	Abies balsamea (Linn.) Mill.
Hemlock.....	Tsuga canadensis (Linn.) Carr.
Aspen .....	Populus tremuloides Michx.
White poplar.....	Populus grandidentata Michx.
Balm of Gilead .....	Populus balsamifera Linn.
White birch.....	Betula papyrifera Marsh.
Yellow birch.....	Betula lutea Michx. f.
Hard maple .....	Acer saccharum Marsh.
Red maple .....	Acer rubrum Linn.
White maple .....	Acer saccharinum Linn.
Basswood .....	Tilia americana Linn.
Red oak .....	Quercus rubra Linn.
Burr oak.....	Quercus macrocarpa Michx.
White oak.....	Quercus alba Linn.
Scarlet oak.....	Quercus coccinea Muenchh.

Black ash .....	Fraxinus nigra Marsh.
White ash .....	Fraxinus americana Linn.
White elm .....	Ulmus americana Linn.
Rock elm .....	Ulmus racemosa Thomas.
Slippery elm .....	Ulmus pubescens Walt.
Ironwood .....	Ostrya virginiana (Mill.) Koch.
Hackberry .....	Celtis occidentalis Linn.
Butternut .....	Juglans cinerea Linn.
Hickory (pig nut) .....	Hicoria minima (Marsh.) Britton.
Black cherry .....	Prunus serotina Ehrh.

## TIMBER TREES.

The trees now used for lumber are, in order of the amounts cut:

*Timber trees in pine region of Minnesota.*

1. White pine.	5. Jack pine.	9. Yellow birch.
2. Norway pine.	6. White elm.	10. Hard maple.
3. Burr oak.	7. Tamarack.	11. White poplar.
4. White spruce.	8. Basswood.	12. Rock elm.

Of these twelve, but three, white pine, Norway pine, and burr oak, have been of commercial importance.

Tamarack has been extensively used for railway ties. Cedar is used in large quantity for poles, posts, and ties. A small amount of jack pine is cut and sold with Norway pine as lumber and many ties are made of it for branch railroads, but its principal use is for fuel.

Spruce and a small quantity of aspen are used for pulp.

Yellow birch, hard maple, basswood, ash, etc., are utilized for lumber when accessible, but trees suitable for lumber are much scattered, and until recently land owners or buyers have paid little attention to hardwood.

Most lumbermen have ignored everything but pine, but some have estimated it in cords as fuel.

## DISTRIBUTION.

The trees have their preferences as to soil, subsoil, and exposure, but there is so little difference in large areas and so much variety on almost every 40-acre tract that, excepting the larger tracts of sandy lands and muskegs, the classes are so intermingled that they can not be differentiated on a map.

White pine, like all other trees, grows best in deep, porous, moist, fertile soil, and in this region the effect of the climate and the fires have often enabled it to establish itself on the best of the land in competition with species which in milder climate and freedom from fires would have crowded it out.

While Norway pine and jack pine enjoy good soil, they find most favorable starting places on sandy and gravelly lands, occasionally



fire-swept, such as the triangular tract of which Sturgeon Lake is the center and the large crescent-shaped area extending from Brainerd to Red Lake.

Burr oak also likes a porous soil and is found as a timber tree on the borders of the pine land and on alluvial banks and bottoms. On shallow soils, with hard clay subsoils, this species becomes a scrub oak, notably on the boulder clays west of Park Rapids. Basswood and maple are found on the very best uplands. Yellow birch, red oak, aspen, white birch, and others are found on the medium quality or inferior clay lands. Tamarack thrives on the loamy borders of swamps, while black spruce is seldom found on dry land, but usually borders and reaches out slightly upon the muskegs.

Within the borders indicated the only natural treeless areas are muskegs or swamps and the few small prairie openings or parks in the western portion.

#### EXPLANATION OF MAP.

A very prominent feature of the Minnesota pine forest is its variety. The so-called original forest, or the forest found by the earliest whites, was a complicated patchwork of kinds and conditions due to a great variety of surface and soil, to the ceaseless strife between the thirty-nine species of trees composing it, and to the effect of ever-varying fires. Incidentally, the white man has greatly increased this variety of conditions by cutting, burning, and clearing.

Some of the lines between the differing classes of forest are sharp and distinct, but most of them are indefinite. Some areas of each class are extensive, but many of them are very small and irregular in outline.

To make a map showing such small details and such interlapping and blending areas is impractical, not only because of the impossibility of printing such a map, but also because of the expense of collecting such minute data. Furthermore it would not be good policy to publish a statement of the amounts and exact locations of standing timber which timber thieves could use. Therefore the information collected has been generalized to show the proportions of original forest remaining, the approximate amount of standing pine timber, the areas of stump land, and the land burned before cutting.

In presenting this information on the map the principal color has been used to represent the more important feature of the forest and the subordinate colors to show as nearly as possible the proportion of the classes they each represent.

For example, a township is reported as cut over, with 10,000,000 feet of pine left. This township is colored yellow and dotted with green, the green representing not the exact location but the general proportion of standing timber. Again, where lines in the forest are

indefinite, and classes blend or natural borders fade into one another, the lines must on the map be drawn sharp in order to print them. The details of the actual condition are thus lost, but the proportions are believed to be approximately correct.

An unavoidable source of inaccuracy lies in the fact that some of the land has not been thoroughly explored and estimated. Some thirty townships are yet unsurveyed, and while they have been looked over in a general way by timbermen, the estimates do not cover all the land, and are intended to be less than the actual cut or "safe estimates."

Former estimates of the amount of pine-log timber in the State have been small for the same reason. The amounts stated were the amounts known, and a large discrepancy often occurred in making allowance for the unexplored areas. It is quite possible that the present estimate may prove less than the cut, especially if fires are effectually checked and natural growth be permitted to increase by normal annual accretions the size of the trees now standing.

#### ESTIMATES.

In making up the present estimate it was found that the county records were of no use, but were rather misleading, with the few exceptions where special assessments had been made, as in parts of Itaska, Hubbard, and Lake counties. Large areas were found assessed at a uniform valuation, ranging from \$1 to \$3 per acre, whether timbered or stump land, pine, hardwood, or open bog.

The areas assigned to assessors are often so large that it is impossible for them to make a proper estimate of timber with the funds set apart for their remuneration.

The reports of lumbermen and pine-land owners have been equally unsatisfactory for several reasons. Their lands are not in large, continuous tracts, but are isolated selected 40-acre lots, chosen on account of the pine on them from the lands vacant or purchasable at the time. Being picked areas, they do not represent the average, and their estimates can apply only to the tracts on which they were made.

A serious difficulty was due to the great number of small holdings and the distant residence of the owners. This, combined with their business reasons for not making known the amount of pine on their lands, has rendered the collection of data from the owners impractical.

The most satisfactory class of information has been that furnished by cruisers who have estimated standing timber or looked after cutting in their several regions. The estimates obtained from them have not in all cases been a summary of their own cruising, but are partly rough estimates, based on their general knowledge, in order to cover the intermediate ground they have not cruised.

The need of careful estimates and appraisals by township assessors, in order to levy a just taxation and furnish accurate knowledge of the

forest, is keenly felt by the owners and other taxpayers as well as by those who are studying the maintenance of the forest.

In the following table the attempt is made to show approximately the amount of forest material left in the pine region. In preparing it especial care was taken to avoid making estimates on an imperfect basis, such as applying an average of lands held by one person (selected areas) to any large contiguous area. Openings, swamps, sapling and hard-wood tracts must be averaged with these selected areas to secure a fair factor for the whole region.

*Table showing timber remaining in pine region of Minnesota.*

County.	Log timber (million ft. B. M.).			Pulp wood (thousand cords).		Fuel (thousand cords).	
	White pine.	Norway pine.	Hard wood.	Spruce.	Aspen.	Hard.	Soft.
Cook .....	900	100	500	500	1,000	5,000	900
Lake .....	1,400	1,000	500	1,000	3,000	10,000	1,000
St. Louis .....	3,440	1,500	650	3,000	8,200	18,000	2,000
Itasca .....	1,500	800	400	3,000	8,000	17,000	3,000
Beltrami .....	1,400	500	200	1,000	4,000	8,000	2,000
Norman .....	50	10	5	1	100	280	20
Becker .....	230	50	30	5	400	2,000	500
Ottertall .....	3	2	80	.5	100	800	10
Wadena .....	6	12	10	1	50	1,000	10
Hubbard .....	300	350	10	1	1,000	1,000	3,010
Cass .....	850	300	100	500	2,000	1,000	5,000
Crow Wing .....	40	20	20	200	2,000	1,000	3,000
Aitkin .....	160	40	50	1,000	3,000	10,000	1,000
Carlton .....	250	50	30	70	500	2,000	800
Pine .....	450	50	30	30	400	3,000	700
Kanabec .....	70	10	10	10	200	1,000	200
Millelacs .....	130	20	110	5	100	1,000	300
Morrison .....	10	4	45	5	130	500	800
Benton .....	1	1	10	-----	2	1,100	-----
Total .....	11,190	4,819	2,780	10,328.5	34,182	73,680	24,250

In comparison with the estimate of standing timber made by the Minnesota chief fire warden in his annual report for the year 1896, viz, white and Norway pine, 20,666,475,000 feet B. M., the present estimate for 1899 of 16,009,000,000 feet B. M. is less by 4,257,475,000 feet B. M. This difference is not far from the cut of the intervening years, and as these two estimates were made independently by summing detailed data collected by extensive canvass, it seems that the amount of standing timber has been learned as accurately as possible by the

methods employed. As suggested elsewhere in this article, township assessors might, at small additional cost in making their assessments, collect such data and make our knowledge of such lands much more accurate. The estimate would thus be revised with each assessment.

#### CLASSIFICATION OF FOREST LAND.

The following table serves to show the general condition of the forest with reference to cutting and burning, with the explanation that about 90 per cent of the stump lands are burned and that much of the so-called virgin forest has been burned and is now in the various stages of restocking. Much of this area is mere brush, and some of it is open slough, muskeg, or meadow, which it has been impracticable to separate.

Large areas have been burned over and large amounts of log timber have been killed and lost, of which there is no record and no evidence. The fires occurred years ago and these lands are now classed as cut over, because the timber trees that survived have since been cut.

*Classification of forest land in pine region of Minnesota.*

County.	Original forest.	Stumplands.	Known to have been burned before cutting.
	<i>Square miles.</i>	<i>Square miles.</i>	<i>Square miles.</i>
Cook .....	1,277	4	240
Lake .....	2,237	90	230
St. Louis .....	2,520	1,810	2,232
Itasca .....	3,744	1,160	576
Beltrami .....	924	400	2,160
Norman .....	20		144
Becker .....	108	430	216
Ottertail .....	None.	260	Not recorded.
Wadena .....	None.	400	40
Hubbard .....	228	500	324
Cass .....	504	1,260	400
Crow Wing .....	20	1,080	Not recorded.
Aitkin .....	70	1,800	Not recorded.
Carlton .....	55	790	<i>a</i> 14
Pine .....	63	1,000	Not recorded.
Kanabec .....	20	580	Not recorded.
Millelacs .....	82	280	Not recorded.
Morrison .....	10	400	Not recorded.
Benton .....	None.	40	Not recorded.
Total .....	11,882	12,684	

*a* Partly recorded.



### FOREST HISTORY.

Where undisturbed by cutting, the forest of to-day differs from that of a hundred years ago only as affected directly or indirectly by fire. The oldest woods are fire scattered, especially where composed of young or middle-aged pine, having large trees scattered among it. These large trees have almost invariably been marked by fire at a date older than the younger portion of the forest.

In the so-called original forest the scarred veterans of old fires standing high above the common woods form a prominent feature of the landscape.

Only a portion of the old burns were restocked with pine, however, for large areas severely burned and without seed trees were occupied by aspen and birch and are as yet very scantily timbered.

### FIRES.

Thus it is seen that fires are not a novelty in these old woods, but have for hundreds of years been a prominent factor in their history. The coming of the whites and the general distribution of trappers and "couriers du bois" through the woods by the Hudson Bay Company and the American Fur Company 100 to 140 years ago seem to have been prolific of fires, for a very large proportion of the trees of the older uniform forests are 100 to 140 years of age, and must have started during that period. Later fires, especially those of 1840 north of Red Lake, those of 1860 and 1878 northeast of Tower, and the general fire of 1894, have been very destructive, and since lumbering began large areas untouched by the ax have been reduced by fire to brush land, on which stubs and stumps of the former forest are abundant.

In the Seventh Annual Report of the Geological and Natural History Survey of Minnesota, Prof. N. H. Winchell says:

During the season [1878] all parties connected with the survey have had occasion to note the frequent and wanton destruction of the native forests by fire. It is estimated that annually ten times as much pine is destroyed in the State as is cut by all the mills. A large part of the triangle north of Lake Superior has been thus devastated. The State has lost in this way more than as much pine as now remains.

On the western border of the pine forest from Red Lake to Becker County and southeastward to Brainerd, fires have been frequent and severe. In this region pine is usually found in clumps that have escaped the killing fires. The trees in these clumps are scorched and partly killed, while the intermediate areas are open and brushy, with many remains of large pine trees. The amount of pine log timber lost by these fires has been enormous, even within the memory of lumbermen. Where accessible, much of the log timber can be used immediately after being killed by fire, but in remote and undeveloped territory losses have been very heavy, as the timber killed has necessarily been wasted. Only a small proportion of such losses has been

estimated or recorded, but the following notes illustrate some of the damage:

*Damage from fire in pine region of Minnesota.*

Date.	Locality.	Killed.
		<i>Feet B. M.</i>
1889.....	T. 144 N., R. 39 W....	25, 000, 000
1894.....	T. 148 N., R. 38 W....	9, 600, 000
1894.....	T. 149 N., R. 38 W....	55, 740, 000
Various fires.....	T. 143 N., R. 37 W....	105, 000, 000
Do.....	T. 145 N., R. 38 W....	10, 000, 000
Do.....	T. 144 N., R. 37 W....	165, 000, 000
Do.....	T. 145 N., R. 37 W....	55, 000, 000
Do.....	T. 146 N., R. 37 W....	97, 000, 000
Do.....	T. 146 N., R. 38 W....	25, 000, 000
Do.....	T. 144 N., R. 31 W....	122, 000, 000
Do.....	T. 144 N., R. 32 W....	22, 000, 000
Do.....	T. 144 N., R. 30 W....	70, 000, 000
Do.....	T. 144 N., R. 29 W....	45, 000, 000
Do.....	T. 144 N., R. 27 W....	90, 000, 000

In these 14 townships there has been a known loss of 836 million feet, which to-day would have been worth on the stump \$3,344,000, or an average of some \$240,000 to each township.

Fires have been very destructive in the northern part of the State also. A large proportion of the area north of Red Lake and eastward to Lake Superior (several thousand square miles) has been reduced to brush land, and several thousand acres are now bare rock on which dead stubs and partly burned roots show that timber once grew. The areas burned over, killing the timber before cutting, are now undeterminable. Those now known and shown on the map are but a fraction of the whole. The area of these amounts to about 4,760 square miles. There is no way of closely estimating this amount. Roughly, it may be assumed that this land averaged probably 2,000 feet per acre, or 1,280,000 feet per square mile. The amount killed was probably 8 billion feet.

In considering the damage by fires it should be remembered that only a small portion of severely burned lands are soon restocked with timber trees. This fact is illustrated by the condition of the old forest, most of which was probably seeded on burns. The yield on such land seldom exceeds 10,000 feet B. M. per acre (though 100,000 feet have been cut on exceptional acres), and there are large areas that do not average more than 1,000 feet per acre. Some 14,000 square miles of original forest in the northern part of the State will not average 3,000

feet of pine per acre, and it is probable that the average yield for the whole pine region has been about this figure. The difference between this figure and 10,000 feet per acre, which would be only a moderate possible stand for white and Norway pine, may with reason be attributed to the effect of fires.

#### FIRES ON STUMP LAND.

Stump land is seldom found unburned. It is roughly estimated that 90 per cent of the cut-over land in the State has been overrun by fire. In such burning most of the seeds, seedlings, and seed trees are killed.

Where fires have been moderate and some seed trees survived, a new stand of pine sometimes appears, but where severe the fires are followed by aspen, birch, scrub pine, or brush.

The loss in burning stump land is usually greatly underestimated. Much of the land immediately after cutting has many saplings, which in a few years would make timber and seed trees. Fires kill these and render the land nonproductive, or at least greatly reduce the product.

Perhaps the best way to estimate the damage is to consider the difference between fairly stocked land yielding 10,000 feet per acre and fire-swept land yielding nothing. About one hundred years are required to produce a crop of 10,000 feet per acre. This means an average annual growth of 100 feet B. M., or 40 cents' worth of log timber, per acre each year, besides fuel, etc. This amount, though small, is in contrast with lands going delinquent for taxes, the common rate of taxation being about  $7\frac{1}{2}$  cents per acre. In the pine region of the State there are about 1,000,000 acres of land on which taxes are delinquent.

In tabulating the delinquent lists it is quite noticeable that a great proportion of delinquent lands are in the old pineries, where soil is light. The delinquent lands in Cass County number 116,000 acres; in Crow Wing County, 68,000 acres, and in Millelacs County, 80,000 acres. Where exhausted forests and collapsed real estate booms have both occurred the highest proportion is found, as in Carlton County, where the delinquent lands amount to 106,000 acres, or nearly 20 per cent of the area of the county.

#### FIRE PROTECTION.

The present system of fire protection is unquestionably a great check upon fire, but the few years that have passed since its inauguration are not sufficient to show exactly what its effect will be after the fear of the people, excited by the fires of 1894, subsides and a very dry season occurs. The present system is too much under local influence.

## NEW GROWTH.

On burned stump land the principal stock is aspen. Among this are white birch and scrub pine, with other species and brush in mixture. The reappearance of white and Norway pine on severe burns is rather unusual.

## VALUE OF STUMP LAND.

In considering the value of stump land, a comparative view of the areas cut over, the areas improved, and the areas on which taxes are delinquent serves to show the waste or misuse of land that might be growing timber until needed for agriculture.

*Comparative table showing use of stump land in the pine region of Minnesota.*

County.	Areas of pine forest.	Areas cut over.	Areas assessed as improved.	Areas on which taxes are delin- quent.
	<i>Square miles.</i>	<i>Square miles.</i>	<i>Square miles.</i>	<i>Square miles.</i>
Cook .....	1,520	4		
Lake .....	2,380	90	0.42	15.68
St. Louis .....	5,860	1,810	8.84	134.37
Itasca .....	5,430	1,160	19.62	113.62
Beltrami .....	5,040	400	.39	31.60
Becker .....	720	430	131.40	<i>a</i> 99.28
Ottertail .....	260	260		
Wadena .....	460	400	55.23	<i>a</i> 35.12
Hubbard .....	1,000	500	117.19	25.06
Cass .....	2,990	1,260	9.30	179.75
Crow Wing .....	550	1,080	33.40	103.25
Aitkin .....	1,900	1,800		110.68
Carlton .....	860	790	115.00	163.81
Pine .....	1,400	1,000		77.56
Kanabec .....	522	580	6.70	16.56
Todd .....	280	280		
Millelacs .....	580	400		121.56
Morrison .....	400	400	135.10	80.62
Benton .....	40	40	73.35	35.30
Total .....	32,192	12,684		

*a* Mostly agricultural.



It should be remembered that not all the improved lands are assessed as improved; only those that have been deeded from the Government. On the other hand, in the forest the areas of improved lands not deeded are very small; seldom over 3 acres; merely a garden patch.

With this table it would be very interesting to compare the areas of entered lands and to note the great discrepancy between the amount of forest land bought or entered (much of it "homesteaded") by individuals and the amount actually improved by agricultural use.

Of the land from which the timber has been cut off 90 per cent is burned over and lies waste, while the remainder is utilized in agriculture.

If forest land is to be farmed, the farming should begin immediately after cutting, as with such practice the land would not lie idle, and that would be the easiest time to clear the land.



# INDEX.

A.		B.	
	Page.		Page.
Abbots Butte, Oreg., forest conditions near.	309-311	Badger Creek, Mont., deadwood in valley of	62
plate showing view near	226	estimate of cutting near	63
<i>Abies amabilis</i> . See Fir, lovely.		timber in valley of	58
<i>Abies concolor</i> . See Fir, white.		Bald Mountain, Wash., burn on	134
<i>Abies grandis</i> . See Fir, silver.		Bald Mountain quadrangle, Wyo., classification of lands in	598-600
<i>Abies lasiocarpa</i> . See Fir, alpine; balsam.		map showing land classification	In atlas
<i>Abies magnifica</i> , plates showing	570	Balsam, amount in South Fork of Flathead Valley, Mont	70
See also Fir, California red.		areas covered by	42
<i>Abies nobilis</i> . See Fir, noble.		size of	43
<i>Acer circinatum</i> . See Maple, vine.		See also Fir, alpine.	
<i>Acer glabrum</i> . See Maple, dwarf.		Barnard, E. C., paper on forest conditions in	
<i>Acer macrophyllum</i> , range and occurrence of	155	Fortymile quadrangle by	597
See also Maple; Maple, Oregon.		paper on land classification in Coos Bay quadrangle by	576-577
Adams, Mount. See Mount Adams.		paper on land classification in Roseburg quadrangle by	577
Alaska cedar. See Cedar, Alaska.		Battlement Mesa Reserve, Colo., area and date of establishment of	13
Alder, paper-leaf, range and occurrence of	542	Bearberry, rate of growth of	109
Alder, white, range, size, and occurrence of	533-534, 543	Bear Prairie, Wash., section in	91
<i>Alnus oregona</i> , rate of growth of	109	Beaver Creek, Mont., deadwood in valley of	62
<i>Alnus rhombifolia</i> . See Alder, white.		Bighorn Reserve, Wyo., area and date of establishment of	13
<i>Alnus tenuifolia</i> . See Alder, paper-leaf.		Big River, Wash., view of spruce on	202
Alpine fir. See Fir, alpine.		Big trees, character of forest in groves of	529-530
Alpine-fir type, composition and character in Sandpoint quadrangle, Idaho	594	groves in Yosemite quadrangle, Cal.	526-527, 572, 573
Alpine hemlock. See Hemlock, alpine.		names of	527-529
Alpine-hemlock type, composition and character of, in Cascade Range Reserve	259-265	plates showing	574
American River, Cal., plate showing views of South Fork of	536	range and occurrence of	526, 543
Arbor vitae, Pacific, amount in Sandpoint quadrangle, Idaho	595	size and age of	531
See also Cedar, red.		Big Trees quadrangle, Cal., classification of lands in	549
<i>Arbutus menziesii</i> . See Madroña.		map showing classification of lands	In atlas
Ash, plate showing	132	stand of timber in	21
range, size, quality, and occurrence of	105	Birch Creek, Mont., deadwood in valley of	62
rate of growth of	108	estimate of cutting on	63
Ashland Butte, Oreg. See Siskiyou Peak.		plate showing view on South Fork of	78
Ashland quadrangle, Oreg., map showing classification of lands in	In atlas	settlement on	54
Ashland Reserve, Oreg., area of	13	timber in valley of	58
boundaries of	472	Bitter cherry, range, size, and occurrence of	542
general description of	472-474	Bitterroot Reserve, Idaho-Mont., area and date of establishment of	13
Aspen, areas covered by	42	Black cottonwood. See Cottonwood, black.	
size of	43	Blackfoot River, Mont., plate showing jam of logs in	35
See also Aspen, quaking.		Black hemlock. See Hemlock, black.	
Aspen, quaking, range, size, quality, and occurrence of	105-106	Black Hills Reserve, S. Dak.-Wyo., area and date of establishment of	13
rate of growth of	109	Black Leaf Creek, Mont., deadwood in valley of	62
See also Aspen.		Black Mesa Reserve, Ariz., area and date of establishment of	14
Atanum River, Wash., timber conditions in watershed of	122-123	Black oak. See Oak, black.	
Ayres, H. B., report on Lewis and Clarke Reserve, Mont., by	27-80	Black oak, California. See Oak, California black.	
report on timber conditions of the pine region of Minnesota	673-689		
work of	15, 22		

	Page.		Page.
Blue Creek, Cal., plate showing California red fir near .....	532	Cedar—Continued.	
Blue spruce. <i>See</i> Spruce, blue.		areas timbered by .....	42
Brown, Mount, <i>See</i> Mount Brown.		maps showing distribution of .....	48, atlas
Bull Run Reserve, Oreg., area and date of establishment of .....	14	plates showing .....	184, 192, 200, 206
Bumping River, Wash., character of valley of .....	92	rate of growth of .....	21
		size of .....	43
C.		Cedar, Alaska, amount in Mount Rainier Reserve, Wash. ....	127
Calaveras grove, Cal., names of big trees in .....	527-529	range, size, quality, and occurrence of .....	104, 155
plate showing view of .....	528	rate of growth of .....	108
California black oak. <i>See</i> Oak, California black.		Cedar, incense, age, and reproduction of .....	521-522
California live oak. <i>See</i> Oak, California live.		amount in Cascade Range Reserve, Oreg., and adjacent regions .....	267, 474, 478, 496, 497
California red fir. <i>See</i> Fir, California red.		areas timbered by .....	241, 521
California rock oak. <i>See</i> Oak, California rock.		map showing distribution of .....	240
California scrub oak. <i>See</i> Oak, California scrub.		range of .....	243, 241, 521, 543
California torreyia. <i>See</i> Torreyia, California.		size and quality of .....	275, 521, 548
California white oak. <i>See</i> Oak, California white.		Cedar, red, amount and percentage in Coos Bay quadrangle, Oreg. ....	577
Camp Creek Pass, Mont., plate showing view near .....	42	amount in Mount Rainier Reserve, Wash. ....	127
Canyon live oak. <i>See</i> Oak, Canyon live.		map showing distribution of .....	104
Carbon River, Wash., arable land in valley of .....	91	range, size, quality, and occurrence of .....	103-104, 155
Cascade Lake, Cal., plate showing view of .....	538	rate of growth of .....	108
Cascade Range, Oreg., altitudinal range of species on eastern slope of ....	243-244	<i>See also</i> Arbor vitae, Pacific.	
on western slope of .....	242-243	Cedar, white, amount and percentage in Coos Bay quadrangle, Oreg. ....	577
climatic conditions on eastern slope of .....	234-235	Chamaecyparis nootkatensis. <i>See</i> Cedar, Alaska.	
on western slope of .....	232-233	Chelan quadrangle, Wash., classification of lands in .....	581-582
relative proportions of species on eastern slope of .....	238	map showing land classification ....	In atlas
on western slope of .....	237	Cherry, bitter. <i>See</i> Bitter cherry.	
topographical features of eastern slope of .....	228-231	Chokecherry, western, range and occurrence of .....	535, 543
of western slope of .....	219-228	Cispus Range, Wash., plate showing view of .....	142
Cascade Range Reserve, Oreg., age, dimensions, and soundness of trees in ..	274-275	Cispus River, Wash., arable land in valley of ..	92
amount and distribution of timber in ..	265-274	section in valley of .....	92
area and date of establishment of .....	14	timber conditions in watershed of .....	115
boundaries of .....	293-296	Classification of lands .....	563-601
climatic conditions in and adjacent to .....	231-235	Clearwater River, Mont., settlement on ..	55
forest fires in .....	276-293	<i>See also</i> Swan-Clearwater Valley.	
forest types in and adjacent to .....	244-265	Cloud Peak quadrangle, Wyo., classification of lands in .....	600-601
geographical distribution of species in and adjacent to .....	238-242	map showing land classification ....	In atlas
logging operations in and adjacent to ..	276	Coffee berry, range, size, and occurrence of .....	535, 543
range of species in and adjacent to ..	242-244	Coos Bay quadrangle, Oreg., land classification and stand of timber in .....	576-577
report on Ashland Reserve and .....	209-498	map showing land classification ....	In atlas
species found in and adjacent to .....	235-238	Cornus nuttallii. <i>See</i> Dogwood, Pacific.	
summary of estimates of timber in ..	474-477	Cosumnes River, Cal., plate showing view of South Fork of .....	546
summary of work in .....	18-19	Cottonwood, areas timbered by .....	42, 105, 155
topographic features in and adjacent to ..	219-231, 296-297	range, size, and quality of .....	105, 155
Cascara sagrada, range, size, and occurrence of .....	535, 543	rate of growth of .....	109
Cedar, amount in Olympic Reserve, Wash. ..	154	<i>See also</i> Cottonwood, black.	
amount in Seattle quadrangle, Wash. ..	580	Cottonwood, black, range, size, and occurrence of .....	533, 543
amount in Tacoma quadrangle, Wash. ..	578	<i>See also</i> Cottonwood.	
		Cow Creek, Cal., plates showing forest near .....	510, 514
		Cowlitz River, Wash., burns near .....	134
		mineral spring on .....	95
		timber conditions in watershed of .....	114



	Page.		Page.
Cowlitz Valley, Wash., section in .....	91	Fir, great silver, rate of growth of .....	23
Coyote Creek, Cal., plate showing view of..	550	Fir, lovely, amount in Mount Rainier Re-	
Coyoteville, Cal., plate showing view of....	546	serve, Wash .....	127
Crab apple, rate of growth of .....	109	range, size, quality, and occurrence of. 100-101	
Crater Lake, Oreg., description of .....	222	rate of growth of .....	107
Crescent, Lake, Wash. <i>See</i> Lake Crescent.		Fir, mountain, amount in Mount Rainier	
Crow Creek Pass, Mont., reproduction on..	49	Reserve, Wash.....	127
		<i>See also</i> Fir, Alpine.	
D.		Fir, noble, amount in Cascade Range Re-	
Dardanelles Creek, Cal., plate showing view		serve, Oreg., and adjacent regions..	267,
near .....	516	474, 478, 496, 497	
Dardanelles quadrangle, Cal., classification		amount in Mount Rainier Reserve,	
of lands in .....	550	Wash .....	127
map showing classification of lands.. In atlas		areas timbered by .....	100, 240
stand of timber in .....	21	map showing distribution of .....	240
Dayton quadrangle, Wyo., classification of		plate showing .....	276
lands in .....	597-598	range of .....	100, 243, 244
map showing land classification.... In atlas		rate of growth of .....	107
Dearborn Creek, Mont., deadwood in valley		size and quality of .....	100, 275
of .....	62	Fir, red, age and reproduction of .....	526
estimate of cutting on .....	63	amount in Cascade Range Reserve,	
plate showing view of burn on .....	46	Oreg., and adjacent region.....	267,
settlement on .....	55	474, 478, 496, 497	
timber in valley of .....	58	amount and percentage in Coos Bay	
Dearborn Mount. <i>See</i> Mount Dearborn.		quadrangle, Oreg.....	577
Deep Creek, Mont., deadwood in valley of..	62	amount in Lewis and Clarke Reserve,	
<i>See also</i> South Fork of Deep Creek.		Mont .....	41
Depuyer Creek, Mont., settlement on .....	55	amount in Mount Rainier Reserve,	
<i>See also</i> North Fork and South Fork		Wash .....	127
of Depuyer Creek.		amount in Olympic Reserve, Wash.....	154
Dodwell, Arthur, work of .....	17	amount in Sandpoint quadrangle,	
Dodwell, Arthur, and Rixon, T. F., report		Idaho.....	595
on Olympic Reserve from notes		amount in Seattle quadrangle, Wash... 580	
by .....	145-208	amount in Tacoma quadrangle, Wash.. 578	
Dogwood, Pacific, range, size, and occur-		areas timbered by .....	42,
rence of .....	533, 543	103, 155, 240, 525-526, 587-590	
Dogwood, western, rate of growth of .....	109	maps showing distribution of.... 94, 248, atlas	
Douglas spruce. <i>See</i> Fir, red.		plates showing .... 44, 50, 74, 78, 96, 110, 130, 256	
Dungeness River, plate showing view near. 196		range of .....	103, 155, 243, 244, 525, 543
Dwarf maple. <i>See</i> Maple, dwarf.		rate of growth of .....	22-23, 108
		size and quality of .....	43, 59, 103, 275, 526, 548
E.		<i>See also</i> Red-fir type.	
Elbow Lake, Mont., plate showing view at. 76		Fir, silver, amount in Olympic Reserve,	
Elk Creek, Mont., deadwood in valley of... 62		Wash .....	154
Ellensburg quadrangle, Wash., classifica-		areas timbered by .....	42
tion of lands in .....	580-581	maps showing distribution of .....	48, atlas
map showing land classification.... In atlas		plate showing .....	206
Elwha River, Wash., plate showing view on. 184		Fir, subalpine, range and occurrence of... 155	
Engelmann spruce. <i>See</i> Spruce, Engel-		Fir, white, age and reproduction of .....	524
mann.		amount in Cascade Range Reserve,	
F.		Oreg., and adjacent regions .....	267,
Falls Creek, Mont., deadwood in valley of. 62		474, 478, 496, 497	
estimate of cutting on .....	63	amount in Mount Rainier Reserve,	
Fencing timber, species used for .....	546	Wash .....	127
Fir, plates showing .....	184, 186, 192, 198, 202	areas timbered by .....	101, 155, 240, 523
Fir, alpine, areas timbered by .....	101, 241, 594	map showing distribution of .....	284
plates showing .....	98, 132	range of .....	101, 155, 243, 244, 523, 543
range of .....	101, 243, 244	rate of growth of .....	107
rate of growth of .....	24, 107	size and quality of .....	101, 275, 523-524
size and quality of .....	101	Fir, yellow. <i>See</i> Fir, red.	
<i>See also</i> Fir, mountain; Balsam.		Fires, causes of .....	49, 134-136
Fir, California red, range, size, age, repro-		damage from .....	49, 60-61, 67, 72, 77-78
duction, and occurrence of. 537-538, 543, 548		effect of .....	50, 62, 72, 280-293, 557-559
		origin of .....	278-280, 559-560
		precautions against .....	560

	Page.		Page.
Fish Lake, Oreg., description of.....	225	Hemlock, amount in Mount Rainier Re-	
Fish Lake Reserve, Utah, area and date of establishment of.....	14	serve, Wash.....	127
Fitch, C. H., paper on land classification in Sonora quadrangle by.....	569-571	amount in Olympic Reserve, Wash.....	154
paper on land classification in Yosemite quadrangle by.....	571-574	amount in Tacoma quadrangle, Wash..	578
report on woodland of Indian Territory by.....	603-672	maps showing distribution of....	48, 98, atlas
work of.....	19, 22	plates showing... 186, 192, 198, 200, 202, 204, 206	
Flathead Reserve, Mont., area and date of establishment of.....	14	range, size, quality, and occurrence of.....	101-102, 155
Flathead River, Mont. <i>See</i> Middle Fork and South Fork of Flathead.		rate of growth of.....	23, 107
Ford Creek, Mont., deadwood in valley of settlements on.....	62	Hemlock, alpine, amount in Cascade Range Reserve, Oreg., and adjacent regions.....	267,
<i>See also</i> North Fork of Ford Creek.	54	474, 478, 496, 497	
Forest reserves, map showing national parks and.....	In atlas	areas timbered by.....	241
names, locations, and areas of.....	13	map showing distribution of.....	248
public sentiment toward.....	560-561	plate showing.....	276
summary of work on.....	13-21	range of.....	243, 244
Forest trees, table showing rate of growth of.....	22-25	size and quality of.....	275
Forest type, conditions determining composition of.....	245	<i>See also</i> Alpine-hemlock type.	
Forks Prairie, Wash., plates showing forest near.....	184, 186, 198	Hemlock, black, range, size, age, reproduction, and occurrence of... 539-540, 543, 548	
Fortymile quadrangle, Alaska, forest conditions in.....	597	Hemlock, mountain, amount in Mount Rainier Reserve, Wash.....	127
map showing land classification ....	In atlas	areas timbered by.....	42, 102
Fraxinus oregona. <i>See</i> Ash.		plate showing.....	96
		range, size, and quality of.....	102
		rate of growth of.....	108
		Hemlock, Patton, map showing distribution of.....	40
		Hemlock, western, amount in Cascade Range Reserve, Oreg., and adjacent region.....	267, 474, 496, 497
		areas timbered by.....	241
		map showing distribution of.....	240
		range of.....	244
		size and quality of.....	275
		Holland Creek, Mont., settlement on.....	55
		Holland Lake, Mont., plate showing view near.....	76
		Hood, Mount. <i>See</i> Mount Hood.	
		I.	
		Incense cedar. <i>See</i> Cedar, incense.	
		Indian Territory, map showing extent and distribution of woodlands.....	In atlas
		report on woodland of.....	603-672
		summary of work in.....	21-22
		timber conditions in T. 1 N., R. 1 E.....	665
		in T. 1 N., R. 2 E.....	666
		in T. 1 N., R. 3 E.....	666
		in T. 1 N., R. 4 E.....	666
		in T. 1 N., R. 5 E.....	667
		in T. 1 N., R. 6 E.....	667
		in T. 1 N., R. 7 E.....	667
		in T. 1 N., R. 8 E.....	621, 667
		in T. 1 N., R. 9 E.....	622
		in T. 1 N., R. 10 E.....	622
		in T. 1 N., R. 11 E.....	622
		in T. 1 N., R. 12 E.....	623
		in T. 1 N., R. 13 E.....	623
		in T. 1 N., R. 14 E.....	623
		in T. 1 N., R. 15 E.....	624
		in T. 1 N., R. 16 E.....	624
		in T. 1 N., R. 17 E.....	624
		in T. 1 N., R. 18 E.....	625

## G.

Gallatin Reserve, Mont., area and date of establishment of.....	14
Gannett, H., paper on classification of lands by.....	563-601
summary of forestry work in 1899-1900 by.....	9-25
Gerle Creek, Cal., plate showing view of...	540
Gila Reserve, N. Mex., area and date of establishment of.....	14
Glacier Point, Cal., plate showing view from.....	572
Goat Mountain, Wash., altitude of.....	88
plates showing views from..... 136, 138, 140	
volcanic activity on.....	96
Gordon Pass, Mont., plate showing view near.....	76
Grand Canyon Reserve, Ariz., area and date of establishment of.....	14
Gray pine. <i>See</i> Pine, gray.	
Grazing, effect of.....	140-143, 552-557
Great silver fir. <i>See</i> Fir, great silver.	
Growth of forest trees, table showing rate of.....	22-25, 107, 109

## H.

Half Dome, Cal., plate showing view of....	572
Hamilton quadrangle, Mont.-Idaho, map showing land classification.....	In atlas
topographic features and classification of lands in.....	596

# INDEX.

695

Indian Territory—Continued.		Indian Territory—Continued.	
	Page.		Page.
timber conditions in T. 1 N., R. 19 E .....	625	timber conditions in T. 2 N., R. 15 E .....	624
in T. 1 N., R. 20 E .....	625	in T. 2 N., R. 16 E .....	624
in T. 1 N., R. 21 E .....	625	in T. 2 N., R. 17 E .....	624
in T. 1 N., R. 22 E .....	626	in T. 2 N., R. 18 E .....	625
in T. 1 N., R. 23 E .....	626	in T. 2 N., R. 19 E .....	625
in T. 1 N., R. 24 E .....	626	in T. 2 N., R. 20 E .....	625
in T. 1 N., R. 25 E .....	626	in T. 2 N., R. 21 E .....	625
in T. 1 N., R. 26 E .....	626	in T. 2 N., R. 22 E .....	626
in T. 1 N., R. 27 E .....	627	in T. 2 N., R. 23 E .....	626
in T. 1 N., R. 1 W .....	661	in T. 2 N., R. 24 E .....	626
in T. 1 N., R. 2 W .....	661	in T. 2 N., R. 25 E .....	626
in T. 1 N., R. 3 W .....	661	in T. 2 N., R. 26 E .....	626
in T. 1 N., R. 4 W .....	662	in T. 2 N., R. 27 E .....	627
in T. 1 N., R. 5 W .....	662	in T. 2 N., R. 1 W .....	661
in T. 1 N., R. 6 W .....	662	in T. 2 N., R. 2 W .....	661
in T. 1 N., R. 7 W .....	663	in T. 2 N., R. 3 W .....	662
in T. 1 N., R. 8 W .....	663	in T. 2 N., R. 4 W .....	662
in T. 1 S., R. 1 E .....	668	in T. 2 N., R. 5 W .....	662
in T. 1 S., R. 2 E .....	668	in T. 2 N., R. 6 W .....	662
in T. 1 S., R. 3 E .....	668	in T. 2 N., R. 7 W .....	663
in T. 1 S., R. 4 E .....	669	in T. 2 N., R. 8 W .....	663
in T. 1 S., R. 5 E .....	670	in T. 2 S., R. 1 E .....	668
in T. 1 S., R. 6 E .....	670	in T. 2 S., R. 2 E .....	668
in T. 1 S., R. 7 E .....	671	in T. 2 S., R. 3 E .....	668
in T. 1 S., R. 8 E .....	610, 671	in T. 2 S., R. 4 E .....	669
in T. 1 S., R. 9 E .....	611	in T. 2 S., R. 5 E .....	670
in T. 1 S., R. 10 E .....	611	in T. 2 S., R. 6 E .....	670
in T. 1 S., R. 11 E .....	611	in T. 2 S., R. 7 E .....	671
in T. 1 S., R. 12 E .....	612	in T. 2 S., R. 8 E .....	610, 671
in T. 1 S., R. 13 E .....	612	in T. 2 S., R. 9 E .....	611
in T. 1 S., R. 14 E .....	612	in T. 2 S., R. 10 E .....	611
in T. 1 S., R. 15 E .....	613	in T. 2 S., R. 11 E .....	611
in T. 1 S., R. 16 E .....	613	in T. 2 S., R. 12 E .....	612
in T. 1 S., R. 17 E .....	613	in T. 2 S., R. 13 E .....	612
in T. 1 S., R. 18 E .....	614	in T. 2 S., R. 14 E .....	612
in T. 1 S., R. 19 E .....	614	in T. 2 S., R. 15 E .....	613
in T. 1 S., R. 20 E .....	614	in T. 2 S., R. 16 E .....	613
in T. 1 S., R. 21 E .....	614	in T. 2 S., R. 17 E .....	613
in T. 1 S., R. 22 E .....	615	in T. 2 S., R. 18 E .....	614
in T. 1 S., R. 23 E .....	615	in T. 2 S., R. 19 E .....	614
in T. 1 S., R. 24 E .....	615	in T. 2 S., R. 20 E .....	614
in T. 1 S., R. 25 E .....	615	in T. 2 S., R. 21 E .....	614
in T. 1 S., R. 26 E .....	615	in T. 2 S., R. 22 E .....	615
in T. 1 S., R. 27 E .....	616	in T. 2 S., R. 23 E .....	615
in T. 1 S., R. 1 W .....	658	in T. 2 S., R. 24 E .....	615
in T. 1 S., R. 2 W .....	658	in T. 2 S., R. 25 E .....	615
in T. 1 S., R. 3 W .....	658	in T. 2 S., R. 26 E .....	616
in T. 1 S., R. 4 W .....	658	in T. 2 S., R. 27 E .....	616
in T. 1 S., R. 5 W .....	659	in T. 2 S., R. 1 W .....	658
in T. 1 S., R. 6 W .....	659	in T. 2 S., R. 2 W .....	658
in T. 1 S., R. 7 W .....	659	in T. 2 S., R. 3 W .....	658
in T. 1 S., R. 8 W .....	660	in T. 2 S., R. 4 W .....	658
in T. 2 N., R. 1 E .....	665	in T. 2 S., R. 5 W .....	659
in T. 2 N., R. 2 E .....	666	in T. 2 S., R. 6 W .....	659
in T. 2 N., R. 3 E .....	666	in T. 2 S., R. 7 W .....	659
in T. 2 N., R. 4 E .....	666	in T. 2 S., R. 8 W .....	660
in T. 2 N., R. 5 E .....	667	in T. 3 N., R. 1 E .....	665
in T. 2 N., R. 6 E .....	667	in T. 3 N., R. 2 E .....	666
in T. 2 N., R. 7 E .....	667	in T. 3 N., R. 3 E .....	666
in T. 2 N., R. 8 E .....	621, 667	in T. 3 N., R. 4 E .....	666
in T. 9 N., R. 9 E .....	622	in T. 3 N., R. 5 E .....	667
in T. 2 N., R. 10 E .....	622	in T. 3 N., R. 6 E .....	667
in T. 2 N., R. 11 E .....	622	in T. 3 N., R. 7 E .....	667
in T. 2 N., R. 12 E .....	623	in T. 3 N., R. 8 E .....	621, 668
in T. 2 N., R. 13 E .....	623	in T. 3 N., R. 9 E .....	622
in T. 2 N., R. 14 E .....	623	in T. 3 N., R. 10 E .....	622

Indian Territory—Continued.		Indian Territory—Continued.	
timber conditions in T. 3 N., R. 11 E. ....	622	timber conditions in T. 4 N., R. 8 E. ....	622, 668
in T. 3 N., R. 12 E. ....	623	in T. 4 N., R. 9 E. ....	622
in T. 3 N., R. 13 E. ....	623	in T. 4 N., R. 10 E. ....	622
in T. 3 N., R. 14 E. ....	623	in T. 4 N., R. 11 E. ....	622
in T. 3 N., R. 15 E. ....	624	in T. 4 N., R. 12 E. ....	623
in T. 3 N., R. 16 E. ....	624	in T. 4 N., R. 13 E. ....	623
in T. 3 N., R. 17 E. ....	624	in T. 4 N., R. 14 E. ....	624
in T. 3 N., R. 18 E. ....	625	in T. 4 N., R. 15 E. ....	624
in T. 3 N., R. 19 E. ....	625	in T. 4 N., R. 16 E. ....	624
in T. 3 N., R. 20 E. ....	625	in T. 4 N., R. 17 E. ....	624
in T. 3 N., R. 21 E. ....	625	in T. 4 N., R. 18 E. ....	625
in T. 3 N., R. 22 E. ....	626	in T. 4 N., R. 19 E. ....	625
in T. 3 N., R. 23 E. ....	626	in T. 4 N., R. 20 E. ....	625
in T. 3 N., R. 24 E. ....	626	in T. 4 N., R. 21 E. ....	625
in T. 3 N., R. 25 E. ....	626	in T. 4 N., R. 22 E. ....	626
in T. 3 N., R. 26 E. ....	627	in T. 4 N., R. 23 E. ....	626
in T. 3 N., R. 27 E. ....	627	in T. 4 N., R. 24 E. ....	626
in T. 3 N., R. 1 W. ....	661	in T. 4 N., R. 25 E. ....	626
in T. 3 N., R. 2 W. ....	661	in T. 4 N., R. 26 E. ....	627
in T. 3 N., R. 3 W. ....	662	in T. 4 N., R. 27 E. ....	627
in T. 3 N., R. 4 W. ....	662	in T. 4 N., R. 1 W. ....	661
in T. 3 N., R. 5 W. ....	662	in T. 4 N., R. 2 W. ....	661
in T. 3 N., R. 6 W. ....	662	in T. 4 N., R. 3 W. ....	662
in T. 3 N., R. 7 W. ....	663	in T. 4 N., R. 4 W. ....	662
in T. 3 S., R. 1 E. ....	668	in T. 4 N., R. 5 W. ....	662
in T. 3 S., R. 2 E. ....	668	in T. 4 N., R. 6 W. ....	662
in T. 3 S., R. 3 E. ....	668	in T. 4 N., R. 7 W. ....	663
in T. 3 S., R. 4 E. ....	669	in T. 4 S., R. 1 E. ....	668
in T. 3 S., R. 5 E. ....	670	in T. 4 S., R. 2 E. ....	668
in T. 3 S., R. 6 E. ....	670	in T. 4 S., R. 3 E. ....	669
in T. 3 S., R. 7 E. ....	671	in T. 4 S., R. 4 E. ....	669
in T. 3 S., R. 8 E. ....	610, 671	in T. 4 S., R. 5 E. ....	670
in T. 3 S., R. 9 E. ....	611	in T. 4 S., R. 6 E. ....	670
in T. 3 S., R. 10 E. ....	611	in T. 4 S., R. 7 E. ....	671
in T. 3 S., R. 11 E. ....	611	in T. 4 S., R. 8 E. ....	611, 671
in T. 3 S., R. 12 E. ....	612	in T. 4 S., R. 9 E. ....	611
in T. 3 S., R. 13 E. ....	612	in T. 4 S., R. 10 E. ....	611
in T. 3 S., R. 14 E. ....	612	in T. 4 S., R. 11 E. ....	611
in T. 3 S., R. 15 E. ....	613	in T. 4 S., R. 12 E. ....	612
in T. 3 S., R. 16 E. ....	613	in T. 4 S., R. 13 E. ....	612
in T. 3 S., R. 17 E. ....	613	in T. 4 S., R. 14 E. ....	612
in T. 3 S., R. 18 E. ....	614	in T. 4 S., R. 15 E. ....	613
in T. 3 S., R. 19 E. ....	614	in T. 4 S., R. 16 E. ....	613
in T. 3 S., R. 20 E. ....	614	in T. 4 S., R. 17 E. ....	613
in T. 3 S., R. 21 E. ....	614	in T. 4 S., R. 18 E. ....	614
in T. 3 S., R. 22 E. ....	615	in T. 4 S., R. 19 E. ....	614
in T. 3 S., R. 23 E. ....	615	in T. 4 S., R. 20 E. ....	614
in T. 3 S., R. 24 E. ....	615	in T. 4 S., R. 21 E. ....	615
in T. 3 S., R. 25 E. ....	615	in T. 4 S., R. 22 E. ....	615
in T. 3 S., R. 26 E. ....	616	in T. 4 S., R. 23 E. ....	615
in T. 3 S., R. 27 E. ....	616	in T. 4 S., R. 24 E. ....	615
in T. 3 S., R. 1 W. ....	658	in T. 4 S., R. 25 E. ....	615
in T. 3 S., R. 2 W. ....	658	in T. 4 S., R. 26 E. ....	616
in T. 3 S., R. 3 W. ....	658	in T. 4 S., R. 27 E. ....	616
in T. 3 S., R. 4 W. ....	659	in T. 4 S., R. 1 W. ....	658
in T. 3 S., R. 5 W. ....	659	in T. 4 S., R. 2 W. ....	658
in T. 3 S., R. 6 W. ....	659	in T. 4 S., R. 3 W. ....	658
in T. 3 S., R. 7 W. ....	659	in T. 4 S., R. 4 W. ....	659
in T. 3 S., R. 8 W. ....	660	in T. 4 S., R. 5 W. ....	659
in T. 4 N., R. 1 E. ....	665	in T. 4 S., R. 6 W. ....	659
in T. 4 N., R. 2 E. ....	666	in T. 4 S., R. 7 W. ....	659
in T. 4 N., R. 3 E. ....	666	in T. 4 S., R. 8 W. ....	660
in T. 4 N., R. 4 E. ....	666	in T. 5 N., R. 1 E. ....	665
in T. 4 N., R. 5 E. ....	667	in T. 5 N., R. 2 E. ....	666
in T. 4 N., R. 6 E. ....	667	in T. 5 N., R. 3 E. ....	666
in T. 4 N., R. 7 E. ....	667	in T. 5 N., R. 4 E. ....	666

# INDEX.

697

Indian Territory—Continued.		Indian Territory—Continued.	
	Page.		Page.
timber conditions in T. 5 N., R. 5 E. ....	627, 667	timber conditions in T. 6 N., R. 2 E. ....	632
in T. 5 N., R. 6 E. ....	627, 667	in T. 6 N., R. 3 E. ....	666
in T. 5 N., R. 7 E. ....	627, 667	in T. 6 N., R. 4 E. ....	666
in T. 5 N., R. 8 E. ....	628, 668	in T. 6 N., R. 5 E. ....	627
in T. 5 N., R. 9 E. ....	628	in T. 6 N., R. 6 E. ....	627
in T. 5 N., R. 10 E. ....	628	in T. 6 N., R. 7 E. ....	627
in T. 5 N., R. 11 E. ....	629	in T. 6 N., R. 8 E. ....	628
in T. 5 N., R. 12 E. ....	629	in T. 6 N., R. 9 E. ....	628
in T. 5 N., R. 13 E. ....	629	in T. 6 N., R. 10 E. ....	628
in T. 5 N., R. 14 E. ....	629	in T. 6 N., R. 11 E. ....	629
in T. 5 N., R. 15 E. ....	630	in T. 6 N., R. 12 E. ....	629
in T. 5 N., R. 16 E. ....	630	in T. 6 N., R. 13 E. ....	629
in T. 5 N., R. 17 E. ....	630	in T. 6 N., R. 14 E. ....	629
in T. 5 N., R. 18 E. ....	630	in T. 6 N., R. 15 E. ....	630
in T. 5 N., R. 19 E. ....	631	in T. 6 N., R. 16 E. ....	630
in T. 5 N., R. 20 E. ....	631	in T. 6 N., R. 17 E. ....	630
in T. 5 N., R. 21 E. ....	631	in T. 6 N., R. 18 E. ....	631
in T. 5 N., R. 22 E. ....	631	in T. 6 N., R. 19 E. ....	631
in T. 5 N., R. 23 E. ....	632	in T. 6 N., R. 20 E. ....	631
in T. 5 N., R. 24 E. ....	632	in T. 6 N., R. 21 E. ....	631
in T. 5 N., R. 25 E. ....	632	in T. 6 N., R. 22 E. ....	632
in T. 5 N., R. 26 E. ....	632	in T. 6 N., R. 23 E. ....	632
in T. 5 N., R. 27 E. ....	632	in T. 6 N., R. 24 E. ....	632
in T. 5 N., R. 1 W. ....	663	in T. 6 N., R. 25 E. ....	632
in T. 5 N., R. 2 W. ....	663	in T. 6 N., R. 26 E. ....	632
in T. 5 N., R. 3 W. ....	663	in T. 6 N., R. 27 E. ....	633
in T. 5 N., R. 4 W. ....	664	in T. 6 N., R. 1 W. ....	663
in T. 5 N., R. 5 W. ....	664	in T. 6 N., R. 2 W. ....	663
in T. 5 N., R. 6 W. ....	664	in T. 6 N., R. 3 W. ....	663
in T. 5 N., R. 7 W. ....	664	in T. 6 N., R. 4 W. ....	664
in T. 5 S., R. 1 E. ....	668	in T. 6 N., R. 5 W. ....	664
in T. 5 S., R. 2 E. ....	668	in T. 6 N., R. 6 W. ....	664
in T. 5 S., R. 3 E. ....	669	in T. 6 N., R. 7 W. ....	664
in T. 5 S., R. 4 E. ....	669	in T. 6 S., R. 1 E. ....	669
in T. 5 S., R. 5 E. ....	670	in T. 6 S., R. 2 E. ....	669
in T. 5 S., R. 6 E. ....	670	in T. 6 S., R. 3 E. ....	669
in T. 5 S., R. 7 E. ....	671	in T. 6 S., R. 4 E. ....	670
in T. 5 S., R. 8 E. ....	616, 671	in T. 6 S., R. 5 E. ....	671
in T. 5 S., R. 9 E. ....	616	in T. 6 S., R. 6 E. ....	672
in T. 5 S., R. 10 E. ....	616	in T. 6 S., R. 7 E. ....	672
in T. 5 S., R. 11 E. ....	617	in T. 6 S., R. 8 E. ....	616, 672
in T. 5 S., R. 12 E. ....	617	in T. 6 S., R. 9 E. ....	616
in T. 5 S., R. 13 E. ....	617	in T. 6 S., R. 10 E. ....	616
in T. 5 S., R. 14 E. ....	617	in T. 6 S., R. 12 E. ....	617
in T. 5 S., R. 15 E. ....	618	in T. 6 S., R. 13 E. ....	617
in T. 5 S., R. 16 E. ....	618	in T. 6 S., R. 14 E. ....	617
in T. 5 S., R. 17 E. ....	618	in T. 6 S., R. 15 E. ....	618
in T. 5 S., R. 18 E. ....	618	in T. 6 S., R. 16 E. ....	618
in T. 5 S., R. 19 E. ....	619	in T. 6 S., R. 17 E. ....	618
in T. 5 S., R. 20 E. ....	619	in T. 6 S., R. 18 E. ....	618
in T. 5 S., R. 21 E. ....	619	in T. 6 S., R. 19 E. ....	619
in T. 5 S., R. 22 E. ....	619	in T. 6 S., R. 20 E. ....	619
in T. 5 S., R. 23 E. ....	619	in T. 6 S., R. 21 E. ....	619
in T. 5 S., R. 24 E. ....	620	in T. 6 S., R. 22 E. ....	619
in T. 5 S., R. 25 E. ....	620	in T. 6 S., R. 23 E. ....	620
in T. 5 S., R. 26 E. ....	620	in T. 6 S., R. 24 E. ....	620
in T. 5 S., R. 27 E. ....	621	in T. 6 S., R. 25 E. ....	620
in T. 5 S., R. 1 W. ....	658	in T. 6 S., R. 26 E. ....	620
in T. 5 S., R. 2 W. ....	658	in T. 6 S., R. 27 E. ....	621
in T. 5 S., R. 3 W. ....	658	in T. 6 S., R. 1 W. ....	660
in T. 5 S., R. 4 W. ....	659	in T. 6 S., R. 2 W. ....	660
in T. 5 S., R. 5 W. ....	659	in T. 6 S., R. 3 W. ....	660
in T. 5 S., R. 6 W. ....	659	in T. 6 S., R. 4 W. ....	660
in T. 5 S., R. 7 W. ....	659	in T. 6 S., R. 5 W. ....	661
in T. 5 S., R. 8 W. ....	660	in T. 6 S., R. 6 W. ....	661
in T. 6 N., R. 1 E. ....	666	in T. 6 S., R. 7 W. ....	661

Indian Territory—Continued.		Indian Territory—Continued.	
	Page.		Page.
timber conditions in T. 6 S., R. 8 W. ....	661	timber conditions in T. 8 N., R. 8 E. ....	628
in T. 7 N., R. 5 E. ....	627	in T. 8 N., R. 9 E. ....	628
in T. 7 N., R. 6 E. ....	627	in T. 8 N., R. 10 E. ....	628
in T. 7 N., R. 7 E. ....	628	in T. 8 N., R. 11 E. ....	629
in T. 7 N., R. 8 E. ....	628	in T. 8 N., R. 12 E. ....	629
in T. 7 N., R. 9 E. ....	628	in T. 8 N., R. 13 E. ....	629
in T. 7 N., R. 10 E. ....	628	in T. 8 N., R. 14 E. ....	630
in T. 7 N., R. 11 E. ....	629	in T. 8 N., R. 15 E. ....	630
in T. 7 N., R. 12 E. ....	629	in T. 8 N., R. 16 E. ....	630
in T. 7 N., R. 13 E. ....	629	in T. 8 N., R. 17 E. ....	630
in T. 7 N., R. 14 E. ....	630	in T. 8 N., R. 18 E. ....	631
in T. 7 N., R. 15 E. ....	630	in T. 8 N., R. 19 E. ....	631
in T. 7 N., R. 16 E. ....	630	in T. 8 N., R. 20 E. ....	631
in T. 7 N., R. 17 E. ....	630	in T. 8 N., R. 21 E. ....	631
in T. 7 N., R. 18 E. ....	631	in T. 8 N., R. 22 E. ....	632
in T. 7 N., R. 19 E. ....	631	in T. 8 N., R. 23 E. ....	632
in T. 7 N., R. 20 E. ....	631	in T. 8 N., R. 24 E. ....	632
in T. 7 N., R. 21 E. ....	631	in T. 8 N., R. 25 E. ....	632
in T. 7 N., R. 22 E. ....	632	in T. 8 N., R. 26 E. ....	632
in T. 7 N., R. 23 E. ....	632	in T. 8 N., R. 27 E. ....	633
in T. 7 N., R. 24 E. ....	632	in T. 8 N., R. 2 W. ....	663
in T. 7 N., R. 25 E. ....	632	in T. 8 N., R. 3 W. ....	663
in T. 7 N., R. 26 E. ....	632	in T. 8 N., R. 4 W. ....	664
in T. 7 N., R. 27 E. ....	633	in T. 8 N., R. 5 W. ....	664
in T. 7 N., R. 2 W. ....	663	in T. 8 N., R. 6 W. ....	664
in T. 7 N., R. 3 W. ....	663	in T. 8 N., R. 7 W. ....	665
in T. 7 N., R. 4 W. ....	664	in T. 8 S., R. 1 E. ....	669
in T. 7 N., R. 5 W. ....	664	in T. 8 S., R. 2 E. ....	669
in T. 7 N., R. 6 W. ....	664	in T. 8 S., R. 3 E. ....	670
in T. 7 N., R. 7 W. ....	665	in T. 8 S., R. 4 E. ....	670
in T. 7 S., R. 1 E. ....	669	in T. 8 S., R. 5 E. ....	672
in T. 7 S., R. 2 E. ....	669	in T. 8 S., R. 6 E. ....	672
in T. 7 S., R. 3 E. ....	669	in T. 8 S., R. 7 E. ....	672
in T. 7 S., R. 4 E. ....	670	in T. 8 S., R. 8 E. ....	616, 672
in T. 7 S., R. 5 E. ....	671	in T. 8 S., R. 9 E. ....	661, 672
in T. 7 S., R. 6 E. ....	672	in T. 8 S., R. 10 E. ....	616, 672
in T. 7 S., R. 7 E. ....	672	in T. 8 S., R. 11 E. ....	672
in T. 7 S., R. 8 E. ....	616, 672	in T. 8 S., R. 12 E. ....	617
in T. 7 S., R. 9 E. ....	616	in T. 8 S., R. 13 E. ....	617
in T. 7 S., R. 10 E. ....	616	in T. 8 S., R. 14 E. ....	618
in T. 7 S., R. 12 E. ....	617	in T. 8 S., R. 15 E. ....	618
in T. 7 S., R. 13 E. ....	617	in T. 8 S., R. 16 E. ....	618
in T. 7 S., R. 14 E. ....	617	in T. 8 S., R. 17 E. ....	618
in T. 7 S., R. 15 E. ....	618	in T. 8 S., R. 18 E. ....	619
in T. 7 S., R. 16 E. ....	618	in T. 8 S., R. 19 E. ....	619
in T. 7 S., R. 17 E. ....	618	in T. 8 S., R. 21 E. ....	619
in T. 7 S., R. 18 E. ....	619	in T. 8 S., R. 22 E. ....	619
in T. 7 S., R. 19 E. ....	619	in T. 8 S., R. 23 E. ....	620
in T. 7 S., R. 20 E. ....	619	in T. 8 S., R. 24 E. ....	620
in T. 7 S., R. 21 E. ....	619	in T. 8 S., R. 25 E. ....	620
in T. 7 S., R. 22 E. ....	619	in T. 8 S., R. 26 E. ....	620
in T. 7 S., R. 23 E. ....	620	in T. 8 S., R. 27 E. ....	621
in T. 7 S., R. 24 E. ....	620	in T. 8 S., R. 1 W. ....	660
in T. 7 S., R. 25 E. ....	620	in T. 8 S., R. 2 W. ....	660
in T. 7 S., R. 26 E. ....	620	in T. 8 S., R. 3 W. ....	660
in T. 7 S., R. 27 E. ....	621	in T. 8 S., R. 6 W. ....	661
in T. 7 S., R. 1 W. ....	660	in T. 8 S., R. 7 W. ....	661
in T. 7 S., R. 2 W. ....	660	in T. 9 N., R. 5 E. ....	633
in T. 7 S., R. 3 W. ....	660	in T. 9 N., R. 6 E. ....	633
in T. 7 S., R. 4 W. ....	660	in T. 9 N., R. 7 E. ....	633
in T. 7 S., R. 5 W. ....	661	in T. 9 N., R. 8 E. ....	633
in T. 7 S., R. 6 W. ....	661	in T. 9 N., R. 9 E. ....	634
in T. 7 S., R. 7 W. ....	661	in T. 9 N., R. 10 E. ....	634
in T. 8 N., R. 5 E. ....	627	in T. 9 N., R. 11 E. ....	634
in T. 8 N., R. 6 E. ....	627	in T. 9 N., R. 13 E. ....	635
in T. 8 N., R. 7 E. ....	628	in T. 9 N., R. 14 E. ....	635



Indian Territory—Continued.		Page.	Indian Territory—Continued.		Page.
timber conditions in T. 9 N., R. 15 E. ....		635	timber conditions in T. 11 N., R. 9 E. ....		634
in T. 9 N., R. 16 E. ....		636	in T. 11 N., R. 10 E. ....		634
in T. 9 N., R. 17 E. ....		636	in T. 11 N., R. 11 E. ....		634
in T. 9 N., R. 18 E. ....		636	in T. 11 N., R. 13 E. ....		635
in T. 9 N., R. 19 E. ....		636	in T. 11 N., R. 14 E. ....		635
in T. 9 N., R. 20 E. ....		637	in T. 11 N., R. 15 E. ....		636
in T. 9 N., R. 21 E. ....		637	in T. 11 N., R. 16 E. ....		636
in T. 9 N., R. 22 E. ....		637	in T. 11 N., R. 17 E. ....		636
in T. 9 N., R. 23 E. ....		638	in T. 11 N., R. 18 E. ....		636
in T. 9 N., R. 24 E. ....		638	in T. 11 N., R. 19 E. ....		637
in T. 9 N., R. 25 E. ....		638	in T. 11 N., R. 20 E. ....		637
in T. 9 N., R. 26 E. ....		638	in T. 11 N., R. 21 E. ....		637
in T. 9 N., R. 27 E. ....		638	in T. 11 N., R. 22 E. ....		637
in T. 9 N., R. 3 W. ....		665	in T. 11 N., R. 23 E. ....		638
in T. 9 N., R. 4 W. ....		665	in T. 11 N., R. 24 E. ....		638
in T. 9 N., R. 5 W. ....		665	in T. 11 N., R. 25 E. ....		638
in T. 9 N., R. 6 W. ....		665	in T. 11 N., R. 26 E. ....		638
in T. 9 N., R. 7 W. ....		665	in T. 11 N., R. 27 E. ....		638
in T. 9 S., R. 1 E. ....		669	in T. 11 S., R. 27 E. ....		621
in T. 9 S., R. 2 E. ....		669	in T. 12 N., R. 6 E. ....		633
in T. 9 S., R. 8 E. ....		672	in T. 12 N., R. 7 E. ....		633
in T. 9 S., R. 9 E. ....		672	in T. 12 N., R. 8 E. ....		634
in T. 9 S., R. 10 E. ....		672	in T. 12 N., R. 9 E. ....		634
in T. 9 S., R. 11 E. ....		672	in T. 12 N., R. 10 E. ....		634
in T. 9 S., R. 23 E. ....		621	in T. 12 N., R. 12 E. ....		634
in T. 9 S., R. 24 E. ....		621	in T. 12 N., R. 13 E. ....		635
in T. 9 S., R. 25 E. ....		621	in T. 12 N., R. 14 E. ....		635
in T. 9 S., R. 26 E. ....		621	in T. 12 N., R. 15 E. ....		636
in T. 9 S., R. 27 E. ....		621	in T. 12 N., R. 16 E. ....		636
in T. 10 N., R. 5 E. ....		633	in T. 12 N., R. 17 E. ....		636
in T. 10 N., R. 6 E. ....		633	in T. 12 N., R. 18 E. ....		636
in T. 10 N., R. 7 E. ....		633	in T. 12 N., R. 19 E. ....		637
in T. 10 N., R. 8 E. ....		633	in T. 12 N., R. 20 E. ....		637
in T. 10 N., R. 9 E. ....		634	in T. 12 N., R. 21 E. ....		637
in T. 10 N., R. 10 E. ....		634	in T. 12 N., R. 22 E. ....		637
in T. 10 N., R. 11 E. ....		634	in T. 12 N., R. 23 E. ....		638
in T. 10 N., R. 13 E. ....		635	in T. 12 N., R. 24 E. ....		638
in T. 10 N., R. 14 E. ....		635	in T. 12 N., R. 25 E. ....		638
in T. 10 N., R. 15 E. ....		635	in T. 12 N., R. 26 E. ....		638
in T. 10 N., R. 16 E. ....		636	in T. 12 N., R. 27 E. ....		638
in T. 10 N., R. 17 E. ....		636	in T. 13 N., R. 6 E. ....		639
in T. 10 N., R. 18 E. ....		636	in T. 13 N., R. 7 E. ....		639
in T. 10 N., R. 19 E. ....		637	in T. 13 N., R. 8 E. ....		639
in T. 10 N., R. 20 E. ....		637	in T. 13 N., R. 9 E. ....		639
in T. 10 N., R. 21 E. ....		637	in T. 13 N., R. 10 E. ....		640
in T. 10 N., R. 22 E. ....		637	in T. 13 N., R. 11 E. ....		640
in T. 10 N., R. 23 E. ....		638	in T. 13 N., R. 12 E. ....		640
in T. 10 N., R. 24 E. ....		638	in T. 13 N., R. 13 E. ....		641
in T. 10 N., R. 25 E. ....		638	in T. 13 N., R. 14 E. ....		641
in T. 10 N., R. 26 E. ....		638	in T. 13 N., R. 15 E. ....		641
in T. 10 N., R. 27 E. ....		638	in T. 13 N., R. 16 E. ....		641
in T. 10 N., R. 4 W. ....		665	in T. 13 N., R. 17 E. ....		642
in T. 10 N., R. 5 W. ....		665	in T. 13 N., R. 18 E. ....		642
in T. 10 N., R. 6 W. ....		665	in T. 13 N., R. 19 E. ....		642
in T. 10 N., R. 7 W. ....		665	in T. 13 N., R. 20 E. ....		643
in T. 10 S., R. 2 E. ....		669	in T. 13 N., R. 21 E. ....		643
in T. 10 S., R. 9 E. ....		672	in T. 13 N., R. 22 E. ....		643
in T. 10 S., R. 10 E. ....		672	in T. 13 N., R. 23 E. ....		644
in T. 10 S., R. 24 E. ....		621	in T. 13 N., R. 24 E. ....		644
in T. 10 S., R. 25 E. ....		621	in T. 13 N., R. 25 E. ....		644
in T. 10 S., R. 26 E. ....		621	in T. 13 N., R. 26 E. ....		644
in T. 10 S., R. 27 E. ....		621	in T. 13 N., R. 27 E. ....		645
in T. 11 N., R. 5 E. ....		633	in T. 14 N., R. 6 E. ....		639
in T. 11 N., R. 6 E. ....		633	in T. 14 N., R. 7 E. ....		639
in T. 11 N., R. 7 E. ....		633	in T. 14 N., R. 8 E. ....		639
in T. 11 N., R. 8 E. ....		634	in T. 14 N., R. 9 E. ....		639

## Indian Territory—Continued.

timber conditions in T. 14 N., R. 10 E. ....	640
in T. 14 N., R. 11 E. ....	640
in T. 14 N., R. 12 E. ....	640
in T. 14 N., R. 13 E. ....	641
in T. 14 N., R. 14 E. ....	641
in T. 14 N., R. 15 E. ....	641
in T. 14 N., R. 16 E. ....	641
in T. 14 N., R. 17 E. ....	642
in T. 14 N., R. 18 E. ....	642
in T. 14 N., R. 19 E. ....	642
in T. 14 N., R. 20 E. ....	643
in T. 14 N., R. 21 E. ....	643
in T. 14 N., R. 22 E. ....	643
in T. 14 N., R. 23 E. ....	644
in T. 14 N., R. 24 E. ....	644
in T. 14 N., R. 25 E. ....	644
in T. 14 N., R. 26 E. ....	644
in T. 14 N., R. 27 E. ....	645
in T. 15 N., R. 6 E. ....	639
in T. 15 N., R. 7 E. ....	639
in T. 15 N., R. 8 E. ....	639
in T. 15 N., R. 9 E. ....	639
in T. 15 N., R. 10 E. ....	640
in T. 15 N., R. 11 E. ....	640
in T. 15 N., R. 12 E. ....	640
in T. 15 N., R. 13 E. ....	641
in T. 15 N., R. 14 E. ....	641
in T. 15 N., R. 15 E. ....	641
in T. 15 N., R. 16 E. ....	641
in T. 15 N., R. 17 E. ....	642
in T. 15 N., R. 18 E. ....	642
in T. 15 N., R. 19 E. ....	643
in T. 15 N., R. 20 E. ....	643
in T. 15 N., R. 21 E. ....	643
in T. 15 N., R. 22 E. ....	643
in T. 15 N., R. 23 E. ....	644
in T. 15 N., R. 24 E. ....	644
in T. 15 N., R. 25 E. ....	644
in T. 15 N., R. 26 E. ....	645
in T. 16 N., R. 7 E. ....	639
in T. 16 N., R. 8 E. ....	639
in T. 16 N., R. 9 E. ....	640
in T. 16 N., R. 10 E. ....	640
in T. 16 N., R. 11 E. ....	640
in T. 16 N., R. 12 E. ....	640
in T. 16 N., R. 13 E. ....	641
in T. 16 N., R. 14 E. ....	641
in T. 16 N., R. 15 E. ....	641
in T. 16 N., R. 16 E. ....	641
in T. 16 N., R. 17 E. ....	642
in T. 16 N., R. 18 E. ....	642
in T. 16 N., R. 19 E. ....	643
in T. 16 N., R. 20 E. ....	643
in T. 16 N., R. 21 E. ....	643
in T. 16 N., R. 22 E. ....	644
in T. 16 N., R. 23 E. ....	644
in T. 16 N., R. 24 E. ....	644
in T. 16 N., R. 25 E. ....	644
in T. 16 N., R. 26 E. ....	645
in T. 17 N., R. 7 E. ....	645
in T. 17 N., R. 8 E. ....	645
in T. 17 N., R. 9 E. ....	645
in T. 17 N., R. 10 E. ....	645
in T. 17 N., R. 11 E. ....	646
in T. 17 N., R. 12 E. ....	646
in T. 17 N., R. 13 E. ....	646

## Indian Territory—Continued.

timber conditions in T. 17 N., R. 14 E. ....	646
in T. 17 N., R. 15 E. ....	646
in T. 17 N., R. 16 E. ....	647
in T. 17 N., R. 17 E. ....	647
in T. 17 N., R. 18 E. ....	647
in T. 17 N., R. 19 E. ....	648
in T. 17 N., R. 20 E. ....	648
in T. 17 N., R. 21 E. ....	648
in T. 17 N., R. 22 E. ....	648
in T. 17 N., R. 23 E. ....	649
in T. 17 N., R. 24 E. ....	649
in T. 17 N., R. 25 E. ....	649
in T. 17 N., R. 26 E. ....	649
in T. 18 N., R. 7 E. ....	645
in T. 18 N., R. 8 E. ....	645
in T. 18 N., R. 9 E. ....	645
in T. 18 N., R. 10 E. ....	645
in T. 18 N., R. 11 E. ....	646
in T. 18 N., R. 12 E. ....	646
in T. 18 N., R. 13 E. ....	646
in T. 18 N., R. 14 E. ....	646
in T. 18 N., R. 15 E. ....	647
in T. 18 N., R. 16 E. ....	647
in T. 18 N., R. 17 E. ....	647
in T. 18 N., R. 18 E. ....	647
in T. 18 N., R. 19 E. ....	648
in T. 18 N., R. 20 E. ....	648
in T. 18 N., R. 21 E. ....	648
in T. 18 N., R. 22 E. ....	649
in T. 18 N., R. 23 E. ....	649
in T. 18 N., R. 24 E. ....	649
in T. 18 N., R. 25 E. ....	649
in T. 18 N., R. 26 E. ....	650
in T. 19 N., R. 7 E. ....	645
in T. 19 N., R. 8 E. ....	645
in T. 19 N., R. 9 E. ....	645
in T. 19 N., R. 10 E. ....	645
in T. 19 N., R. 11 E. ....	646
in T. 19 N., R. 12 E. ....	646
in T. 19 N., R. 13 E. ....	646
in T. 19 N., R. 14 E. ....	646
in T. 19 N., R. 15 E. ....	647
in T. 19 N., R. 16 E. ....	647
in T. 19 N., R. 17 E. ....	647
in T. 19 N., R. 18 E. ....	647
in T. 19 N., R. 19 E. ....	648
in T. 19 N., R. 20 E. ....	648
in T. 19 N., R. 21 E. ....	648
in T. 19 N., R. 22 E. ....	649
in T. 19 N., R. 23 E. ....	649
in T. 19 N., R. 24 E. ....	649
in T. 19 N., R. 25 E. ....	649
in T. 19 N., R. 26 E. ....	650
in T. 20 N., R. 12 E. ....	646
in T. 20 N., R. 13 E. ....	646
in T. 20 N., R. 14 E. ....	646
in T. 20 N., R. 15 E. ....	647
in T. 20 N., R. 16 E. ....	647
in T. 20 N., R. 17 E. ....	647
in T. 20 N., R. 18 E. ....	648
in T. 20 N., R. 19 E. ....	648
in T. 20 N., R. 20 E. ....	648
in T. 20 N., R. 21 E. ....	648
in T. 20 N., R. 22 E. ....	649
in T. 20 N., R. 23 E. ....	649
in T. 20 N., R. 24 E. ....	649

Indian Territory—Continued.		Indian Territory—Continued.	
	Page.		Page.
timber conditions in T. 20 N., R. 25 E . . .	649	timber conditions in T. 25 N., R. 20 E . . .	656
in T. 20 N., R. 26 E . . . . .	650	in T. 25 N., R. 21 E . . . . .	657
in T. 21 N., R. 12 E . . . . .	650	in T. 25 N., R. 22 E . . . . .	657
in T. 21 N., R. 13 E . . . . .	650	in T. 25 N., R. 23 E . . . . .	657
in T. 21 N., R. 14 E . . . . .	650	in T. 25 N., R. 24 E . . . . .	657
in T. 21 N., R. 15 E . . . . .	650	in T. 25 N., R. 25 E . . . . .	658
in T. 21 N., R. 16 E . . . . .	651	in T. 26 N., R. 12 E . . . . .	654
in T. 21 N., R. 17 E . . . . .	651	in T. 26 N., R. 13 E . . . . .	654
in T. 21 N., R. 18 E . . . . .	651	in T. 26 N., R. 14 E . . . . .	654
in T. 21 N., R. 19 E . . . . .	652	in T. 26 N., R. 15 E . . . . .	655
in T. 21 N., R. 20 E . . . . .	652	in T. 26 N., R. 16 E . . . . .	655
in T. 21 N., R. 21 E . . . . .	652	in T. 26 N., R. 17 E . . . . .	655
in T. 21 N., R. 22 E . . . . .	652	in T. 26 N., R. 18 E . . . . .	656
in T. 21 N., R. 23 E . . . . .	653	in T. 26 N., R. 19 E . . . . .	656
in T. 21 N., R. 24 E . . . . .	653	in T. 26 N., R. 20 E . . . . .	656
in T. 21 N., R. 25 E . . . . .	653	in T. 26 N., R. 21 E . . . . .	657
in T. 22 N., R. 12 E . . . . .	650	in T. 26 N., R. 22 E . . . . .	657
in T. 22 N., R. 13 E . . . . .	650	in T. 26 N., R. 23 E . . . . .	657
in T. 22 N., R. 14 E . . . . .	650	in T. 26 N., R. 24 E . . . . .	657
in T. 22 N., R. 15 E . . . . .	651	in T. 27 N., R. 12 E . . . . .	654
in T. 22 N., R. 16 E . . . . .	651	in T. 27 N., R. 13 E . . . . .	654
in T. 22 N., R. 17 E . . . . .	651	in T. 27 N., R. 14 E . . . . .	655
in T. 22 N., R. 18 E . . . . .	651	in T. 27 N., R. 15 E . . . . .	655
in T. 22 N., R. 19 E . . . . .	652	in T. 27 N., R. 16 E . . . . .	655
in T. 22 N., R. 20 E . . . . .	652	in T. 27 N., R. 17 E . . . . .	655
in T. 22 N., R. 21 E . . . . .	652	in T. 27 N., R. 18 E . . . . .	656
in T. 22 N., R. 22 E . . . . .	653	in T. 27 N., R. 19 E . . . . .	656
in T. 22 N., R. 23 E . . . . .	653	in T. 27 N., R. 20 E . . . . .	656
in T. 22 N., R. 24 E . . . . .	653	in T. 27 N., R. 21 E . . . . .	657
in T. 22 N., R. 25 E . . . . .	653	in T. 27 N., R. 22 E . . . . .	657
in T. 23 N., R. 12 E . . . . .	650	in T. 27 N., R. 23 E . . . . .	657
in T. 23 N., R. 13 E . . . . .	650	in T. 27 N., R. 24 E . . . . .	658
in T. 23 N., R. 14 E . . . . .	650	in T. 28 N., R. 12 E . . . . .	654
in T. 23 N., R. 15 E . . . . .	651	in T. 28 N., R. 13 E . . . . .	654
in T. 23 N., R. 16 E . . . . .	651	in T. 28 N., R. 14 E . . . . .	655
in T. 23 N., R. 17 E . . . . .	651	in T. 28 N., R. 15 E . . . . .	655
in T. 23 N., R. 18 E . . . . .	651	in T. 28 N., R. 16 E . . . . .	655
in T. 23 N., R. 19 E . . . . .	652	in T. 28 N., R. 17 E . . . . .	655
in T. 23 N., R. 20 E . . . . .	652	in T. 28 N., R. 18 E . . . . .	656
in T. 23 N., R. 21 E . . . . .	652	in T. 28 N., R. 19 E . . . . .	656
in T. 23 N., R. 22 E . . . . .	653	in T. 28 N., R. 20 E . . . . .	656
in T. 23 N., R. 23 E . . . . .	653	in T. 28 N., R. 21 E . . . . .	657
in T. 23 N., R. 24 E . . . . .	653	in T. 28 N., R. 22 E . . . . .	657
in T. 23 N., R. 25 E . . . . .	654	in T. 28 N., R. 23 E . . . . .	657
in T. 24 N., R. 12 E . . . . .	650	in T. 29 N., R. 12 E . . . . .	654
in T. 24 N., R. 13 E . . . . .	650	in T. 29 N., R. 13 E . . . . .	654
in T. 24 N., R. 14 E . . . . .	650	in T. 29 N., R. 14 E . . . . .	655
in T. 24 N., R. 15 E . . . . .	651	in T. 29 N., R. 15 E . . . . .	655
in T. 24 N., R. 16 E . . . . .	651	in T. 29 N., R. 16 E . . . . .	655
in T. 24 N., R. 17 E . . . . .	651	in T. 29 N., R. 17 E . . . . .	656
in T. 24 N., R. 18 E . . . . .	651	in T. 29 N., R. 18 E . . . . .	656
in T. 24 N., R. 19 E . . . . .	652	in T. 29 N., R. 19 E . . . . .	656
in T. 24 N., R. 20 E . . . . .	652	in T. 29 N., R. 20 E . . . . .	656
in T. 24 N., R. 21 E . . . . .	652	in T. 29 N., R. 21 E . . . . .	657
in T. 24 N., R. 22 E . . . . .	653	in T. 29 N., R. 22 E . . . . .	657
in T. 24 N., R. 23 E . . . . .	653		
in T. 24 N., R. 24 E . . . . .	653	J.	
in T. 24 N., R. 25 E . . . . .	654	Jackson quadrangle, Cal., classification of	
in T. 25 N., R. 12 E . . . . .	654	lands in . . . . .	549
in T. 25 N., R. 13 E . . . . .	654	map showing classification of lands. In atlas	
in T. 25 N., R. 14 E . . . . .	654	stand of timber in . . . . .	21
in T. 25 N., R. 15 E . . . . .	655	Jeffrey pine. <i>See</i> Pine, Jeffrey.	
in T. 25 N., R. 16 E . . . . .	655	Jesus Maria Creek, Cal., plate showing ef-	
in T. 25 N., R. 17 E . . . . .	655	fect of fires and grazing on . . . . .	526
in T. 25 N., R. 18 E . . . . .	656	Juniper Mountain, Wash., burn on . . . . .	134
in T. 25 N., R. 19 E . . . . .	656		



	Page.		Page.
Maple, soft, range and occurrence of .....	155	Missouri River drainage—Continued.	
Maple, vine, range and occurrence of .....	155	topographic features of .....	57
rate of growth of .....	109	transportation facilities in .....	63-64
Mariner, G. A., analysis by .....	95	trees and timber in .....	58-60
Mariposa grove, Cal., plates showing views		water power in .....	65
in .....	574	young growth and underbrush in .....	50
Markleeville quadrangle, Cal., classifica-		Mokelumne River, Cal., plate showing view	
tion of lands in .....	550	on South Fork of .....	530
map showing classification of lands.. In atlas		Montour Creek, Mont., plate showing view	
stand of timber in .....	21	on .....	64
Marsh willow. <i>See</i> Willow, marsh.		Mount Adams, Wash., altitude of .....	16, 88
Marshall, R. B., paper on land classification		plates showing views of .....	140, 142
in Mount Lyell quadrangle by .....	574-575	volcanic activity on .....	96
Middle Fork of Flathead Valley, Mont.,		Mountain hemlock. <i>See</i> Hemlock, moun-	
area burned in .....	47	tain.	
cutting in .....	67	Mountain larch. <i>See</i> Larch, mountain.	
deadwood in .....	49, 67	Mountain pine. <i>See</i> Pine, mountain.	
estimate of timber in valley of .....	44	Mount Aix, Wash., altitude of .....	88
fires in .....	67	Mount Brown, Oreg., volcanic activity near	221
litter and humus in .....	66	Mount Dearborn, Mont., plate showing view	
plate showing view of .....	60	from .....	56
rock and soil in .....	65	Mount Hood, Wash., plate showing view of .....	132
topographic features of .....	65	Mount Lyell quadrangle, Cal., map show-	
transportation facilities in .....	67	ing classification of lands .....	In atlas
trees and timber in .....	66	topographic features and forest condi-	
underbrush in .....	67	tions in .....	574-575
young growth in .....	66	Mount Pitt, Oreg., composition of forest at	
Middle Fork of Stanislaus River, Cal., plate		various altitudes on .....	261
showing views on .....	510, 512, 514, 516, 518	effects of fires near .....	281
Middle Fork of Sun River, Mont., plate		elevation of .....	221
showing view on .....	50	plate showing views of .....	406
timber in valley of .....	58	volcanic activity near .....	221
Mill Creek, Oreg., plates showing views		Mount Rainier, Wash., altitude of .....	16, 88
near .....	250, 256	plates showing views of .....	88, 136
Mineral springs in Mount Rainier Reserve,		Mount Rainier Reserve, Wash., arable lands	
Wash .....	95	and soil formations in .....	91-93
Minnesota, map of pine region, showing		area and date of establishment of .....	14
classification of lands .....	In atlas	boundaries of .....	87-88
report on timber conditions of the pine		caves in .....	96-97
region of .....	673-689	climate in .....	89-90
summary of work in .....	22	coal indications in .....	93-94
Minnesota pine region, classification of for-		commercial uses of timber in .....	127-128
est land in .....	684	cutting in .....	138-139
distribution of species in .....	680-681	defects and diseases of timber trees in .....	110
estimates of timber in .....	682-684	estimates of timber in .....	111-130
explanation of map of .....	681-682	evidences of volcanic activity in .....	96
extent of .....	679	fires in .....	133-137
fires in .....	685-687	grazing in .....	140-143
fire protection in .....	687	humus in .....	132-133
forest history of .....	685	litter in .....	132
map showing classification of lands.. In atlas		logging conditions in .....	139
new growth in .....	688	map showing classification of lands.. In atlas	
species found in .....	679-680	maps showing distribution of species .....	98,
timber trees in .....	680		104, 134
value of stump land in .....	688-689	markets for watersheds in .....	128
Mission Range, Mont., plate showing view		mineral springs in .....	94-95
of .....	38	minerals and mining claims in .....	94
Missouri River drainage, Mont., agricultural		mountain parks in .....	97
land in .....	64	rate of growth of timber trees in .....	106
cutting in .....	62-63	plate showing range of tree species in .....	102
deadwood in .....	49, 62	prices of lumber in markets adjacent	
fires in .....	60-61	to .....	129-130
irrigation in .....	64	report on .....	81-143
litter in .....	58	restocking in .....	136-137
reproduction in .....	61-62	settlements and improvements in .....	140
rock, soil, and subsoil in .....	57-58	summary of work on .....	16-17



Oregon—Continued.	Page.
timber conditions and composition of forest in T. 30 S., R. 12 E.....	323-324, 479, 480, 481
in T. 30 S., R. 13 E.....	324, 479, 480, 481
in T. 30 S., R. 14 E.....	324-325, 479, 480, 481
in T. 30 S., R. 1 W.....	307-308, 479, 480, 481
in T. 30 S., R. 2 W.....	307, 479, 480, 481
in T. 31 S., R. 1 E.....	326-328, 475, 476, 477, 479, 480, 481
in T. 31 S., R. 2 E.....	328-329, 475, 476, 477, 479, 480, 481
in T. 31 S., R. 3 E.....	329-331, 475, 476, 477, 479, 480, 481
in T. 31 S., R. 4 E.....	331-333, 475, 476, 477, 479, 480, 481
in T. 31 S., R. 5 E.....	260, 333-334, 475, 476, 477, 479, 480, 481
in T. 31 S., R. 6 E.....	270, 335-336, 475, 476, 477, 479, 480, 481
in T. 31 S., R. 6½ E.....	336-337, 479, 480, 481
in T. 31 S., R. 7 E.....	337-338, 479, 480, 481
in T. 31 S., R. 8 E.....	338, 479, 480, 481
in T. 31 S., R. 9 E.....	338-339, 479, 480, 481
in T. 31 S., R. 10 E.....	246, 270, 339, 479, 480, 481
in T. 31 S., R. 11 E.....	246, 339-340, 479, 480, 481
in T. 31 S., R. 12 E.....	340-341, 482, 483, 484
in T. 31 S., R. 13 E.....	341, 482, 483, 484
in T. 31 S., R. 14 E.....	341-342, 482, 483, 484
in T. 31 S., R. 1 W.....	325, 479, 480, 481
in T. 31 S., R. 2 W.....	325, 479, 480, 481
in T. 32 S., R. 1 E.....	268, 343-344, 482, 483, 484
in T. 32 S., R. 2 E.....	344-345, 482, 483, 484
in T. 32 S., R. 3 E.....	253, 345-346, 482, 483, 484
in T. 32 S., R. 4 E.....	269, 346-347, 475, 476, 477, 482, 483, 484
in T. 32 S., R. 5 E.....	260, 347-349, 475, 476, 477, 482, 483, 484
in T. 32 S., R. 6 E.....	349-351, 475, 476, 477, 482, 483, 484
in T. 32 S., R. 7 E.....	352-353, 482, 483, 484
in T. 32 S., R. 7½ E.....	351-352, 482, 483, 484
in T. 32 S., R. 8 E.....	353, 482, 483, 484
in T. 32 S., R. 9 E.....	353-354, 482, 483, 484
in T. 32 S., R. 10 E.....	354-355, 482, 483, 484
in T. 32 S., R. 11 E.....	355, 482, 483, 484
in T. 32 S., R. 12 E.....	355-356, 482, 483, 484
in T. 32 S., R. 13 E.....	356, 482, 483, 484
in T. 32 S., R. 14 E.....	357, 482, 483, 484
in T. 32 S., R. 1 W.....	252, 342-343, 482, 483, 484
in T. 32 S., R. 2 W.....	342, 482, 483, 484
in T. 33 S., R. 1 E.....	358-359, 482, 483, 484
in T. 33 S., R. 2 E.....	359-360, 482, 483, 484
in T. 33 S., R. 3 E.....	253, 360-361, 482, 483, 484
in T. 33 S., R. 4 E.....	361-362, 475, 476, 477, 482, 483, 484
in T. 33 S., R. 5 E.....	260, 362-364, 475, 476, 477, 482, 483, 484
in T. 33 S., R. 6 E.....	364-366, 475, 476, 477, 482, 483, 484
in T. 33 S., R. 7 E.....	367-368, 482, 483, 484
in T. 33 S., R. 7½ E.....	366-367, 482, 483, 484
in T. 33 S., R. 8 E.....	368, 482, 483, 484
in T. 33 S., R. 9 E.....	369, 482, 483, 484
in T. 33 S., R. 10 E.....	246, 369-370, 482, 483, 484
in T. 33 S., R. 11 E.....	370, 482, 483, 484

Oregon—Continued.	Page.
timber conditions and composition of forest in T. 33 S., R. 12 E.....	371, 482, 483, 484
in T. 33 S., R. 13 E.....	371-372, 482, 483, 484
in T. 33 S., R. 14 E.....	372, 482, 483, 484
in T. 33 S., R. 1 W.....	358, 482, 483, 484
in T. 33 S., R. 2 W.....	357, 482, 483, 484
in T. 34 S., R. 1 E.....	374, 485, 486, 487
in T. 34 S., R. 2 E.....	375, 485, 486, 487
in T. 34 S., R. 3 E.....	253, 376, 485, 486, 487
in T. 34 S., R. 4 E.....	260, 376-377, 475, 476, 477, 485, 486, 487
in T. 34 S., R. 5 E.....	265, 378-380, 475, 476, 477, 485, 486, 487
in T. 34 S., R. 6 E.....	381-383, 475, 476, 477, 485, 486, 487
in T. 34 S., R. 7 E.....	383-384, 485, 486, 487
in T. 34 S., R. 7½ E.....	383, 485, 486, 487
in T. 34 S., R. 8 E.....	384-385, 485, 486, 487
in T. 34 S., R. 9 E.....	385, 485, 486, 487
in T. 34 S., R. 10 E.....	246, 385-386, 485, 486, 487
in T. 34 S., R. 11 E.....	270, 386, 485, 486, 487
in T. 34 S., R. 12 E.....	387, 485, 486, 487
in T. 34 S., R. 13 E.....	387-388, 485, 486, 487
in T. 34 S., R. 14 E.....	388, 485, 486, 487
in T. 34 S., R. 1 W.....	373-374, 482, 483, 484
in T. 34 S., R. 2 W.....	372-373, 482, 483, 484
in T. 35 S., R. 1 E.....	390, 485, 486, 487
in T. 35 S., R. 2 E.....	253, 391, 485, 486, 487
in T. 35 S., R. 3 E.....	391-392, 485, 486, 487
in T. 35 S., R. 4 E.....	392-394, 475, 476, 477, 485, 486, 487
in T. 35 S., R. 5 E.....	394-396, 475, 476, 477, 485, 486, 487
in T. 35 S., R. 6 E.....	396-397, 475, 476, 477, 485, 486, 487
in T. 35 S., R. 7 E.....	398, 485, 486, 487
in T. 35 S., R. 7½ E.....	398, 485, 486, 487
in T. 35 S., R. 8 E.....	398-399, 485, 486, 487
in T. 35 S., R. 9 E.....	248, 399-400, 485, 486, 487
in T. 35 S., R. 10 E.....	400, 485, 486, 487
in T. 35 S., R. 11 E.....	401, 485, 486, 487
in T. 35 S., R. 12 E.....	401-402, 485, 486, 487
in T. 35 S., R. 13 E.....	402, 485, 486, 487
in T. 35 S., R. 14 E.....	403, 485, 486, 487
in T. 35 S., R. 1 W.....	389-390, 485, 486, 487
in T. 35 S., R. 2 W.....	389, 485, 486, 487
in T. 36 S., R. 1 E.....	247, 404-405, 485, 486, 487
in T. 36 S., R. 2 E.....	405-406, 485, 486, 487
in T. 36 S., R. 3 E.....	406-407, 485, 486, 487
in T. 36 S., R. 4 E.....	269, 407-409, 475, 476, 477, 485, 486, 487
in T. 36 S., R. 5 E.....	409-411, 475, 476, 477, 485, 486, 487
in T. 36 S., R. 6 E.....	411-413, 475, 476, 477, 488, 489, 490
in T. 36 S., R. 7a E.....	413, 488, 489, 490
in T. 36 S., R. 7b E.....	414, 488, 489, 490
in T. 36 S., R. 8 E.....	414-415, 488, 489, 490
in T. 36 S., R. 9 E.....	248, 415, 488, 489, 490
in T. 36 S., R. 10 E.....	416, 488, 489, 490
in T. 36 S., R. 11 E.....	416-417, 488, 489, 490
in T. 36 S., R. 12 E.....	417-418, 488, 489, 490
in T. 36 S., R. 13 E.....	418, 488, 489, 490
in T. 36 S., R. 14 E.....	418, 488, 489, 490
in T. 36 S., R. 1 W.....	404, 485, 486, 487



Oregon—Continued.	Page.	Oregon—Continued.	Page.
timber conditions and composition of		timber conditions and composition of	
forest in T. 36 S., R. 2 W. ....	403, 485, 486, 487	forest in T. 40 S., R. 10 E. ....	460, 491, 492, 493
in T. 37 S., R. 1 E. ....	420, 488, 489, 490	in T. 40 S., R. 11 E. ....	460-461, 491, 492, 493
in T. 37 S., R. 2 E. ....	420-421, 488, 489, 490	in T. 40 S., R. 12 E. ....	461, 491, 492, 493
in T. 37 S., R. 3 E. ....	421-422, 488, 489, 490	in T. 40 S., R. 13 E. ....	461, 491, 492, 493
in T. 37 S., R. 4 E. ....	254,	in T. 40 S., R. 14 E. ....	462, 491, 492, 493
422-423, 475, 476, 477, 488, 489, 490		in T. 40 S., R. 14½ E. ....	462, 491, 492, 493
in T. 37 S., R. 5 E. ....	256,	in T. 40 S., R. 1 W. ....	253, 452-453, 491, 492, 493
423-425, 475, 476, 477, 488, 489, 490		in T. 40 S., R. 2 W. ....	451-452, 491, 492, 493
in T. 37 S., R. 6 E. ....	425-426,	in T. 41 S., R. 1 E. ....	464-465, 494, 495, 496
475, 476, 477, 488, 489, 490		in T. 41 S., R. 2 E. ....	465-466, 494, 495, 496
in T. 37 S., R. 7 E. ....	426-427, 488, 489, 490	in T. 41 S., R. 3 E. ....	247, 269, 466, 494, 495, 496
in T. 37 S., R. 8 E. ....	427, 488, 489, 490	in T. 41 S., R. 4 E. ....	466-467, 494, 495, 496
in T. 37 S., R. 9 E. ....	428, 488, 489, 490	in T. 41 S., R. 5 E. ....	467-468, 494, 495, 496
in T. 37 S., R. 10 E. ....	428-429, 488, 489, 490	in T. 41 S., R. 6 E. ....	468-469, 494, 495, 496
in T. 37 S., R. 11 E. ....	430, 488, 489, 490	in T. 41 S., R. 7 E. ....	469, 494, 495, 496
in T. 37 S., R. 11½ E. ....	429, 488, 489, 490	in T. 41 S., R. 8 E. ....	469-470, 494, 495, 496
in T. 37 S., R. 12 E. ....	430, 488, 489, 490	in T. 41 S., R. 9 E. ....	470, 494, 495, 496
in T. 37 S., R. 13 E. ....	430, 488, 489, 490	in T. 41 S., R. 10 E. ....	470, 494, 495, 496
in T. 37 S., R. 14 E. ....	431, 488, 489, 490	in T. 41 S., R. 11 E. ....	470, 494, 495, 496
in T. 37 S., R. 1 W. ....	419-420, 488, 489, 490	in T. 41 S., R. 12 E. ....	470, 494, 495, 496
in T. 37 S., R. 2 W. ....	418-419, 488, 489, 490	in T. 41 S., R. 13 E. ....	470-471, 494, 495, 496
in T. 38 S., R. 1 E. ....	432, 488, 489, 490	in T. 41 S., R. 14 E. ....	471, 494, 495, 496
in T. 38 S., R. 2 E. ....	432-433, 488, 489, 490	in T. 41 S., R. 14½ E. ....	471, 494, 495, 496
in T. 38 S., R. 3 E. ....	433-434, 488, 489, 490	in T. 41 S., R. 1 W. ....	463-464, 494, 495, 496
in T. 38 S., R. 4 E. ....	434-435, 488, 489, 490	in T. 41 S., R. 2 W. ....	462-463, 494, 495, 496
in T. 38 S., R. 5 E. ....	435-436, 488, 489, 490		
in T. 38 S., R. 6 E. ....	436-437, 488, 489, 490	Oregon maple. <i>See</i> Maple, Oregon.	
in T. 38 S., R. 7 E. ....	437-438, 488, 489, 490	Ozette Lake, Wash., plates showing views	
in T. 38 S., R. 8 E. ....	438-439, 488, 489, 490	near .....	184, 206
in T. 38 S., R. 9 E. ....	439, 488, 489, 490		
in T. 38 S., R. 10 E. ....	439-440, 488, 489, 490		
in T. 38 S., R. 11 E. ....	440-441, 491, 492, 493		
in T. 38 S., R. 11½ E. ....	440, 491, 492, 493		
in T. 38 S., R. 12 E. ....	441, 491, 492, 493		
in T. 38 S., R. 13 E. ....	441, 491, 492, 493		
in T. 38 S., R. 14 E. ....	442, 491, 492, 493		
in T. 38 S., R. 1 W. ....	432, 488, 489, 490		
in T. 38 S., R. 2 W. ....	431, 488, 489, 490		
in T. 39 S., R. 1 E. ....	443-444, 491, 492, 493		
in T. 39 S., R. 2 E. ....	444, 491, 492, 493		
in T. 39 S., R. 3 E. ....	445, 491, 492, 493		
in T. 39 S., R. 4 E. ....	445-446, 491, 492, 493		
in T. 39 S., R. 5 E. ....	269, 446-447, 491, 492, 493		
in T. 39 S., R. 6 E. ....	254, 447-448, 491, 492, 493		
in T. 39 S., R. 7 E. ....	448-449, 491, 492, 493		
in T. 39 S., R. 8 E. ....	449, 491, 492, 493		
in T. 39 S., R. 9 E. ....	449, 491, 492, 493		
in T. 39 S., R. 10 E. ....	449-450, 491, 492, 493		
in T. 39 S., R. 11 E. ....	450, 491, 492, 493		
in T. 39 S., R. 11½ E. ....	450, 491, 492, 493		
in T. 39 S., R. 12 E. ....	450-451, 491, 492, 493		
in T. 39 S., R. 13 E. ....	451, 491, 492, 493		
in T. 39 S., R. 14 E. ....	451, 491, 492, 493		
in T. 39 S., R. 1 W. ....	443, 491, 492, 493		
in T. 39 S., R. 2 W. ....	442, 491, 492, 493		
in T. 40 S., R. 1 E. ....	453-454, 491, 492, 493		
in T. 40 S., R. 2 E. ....	454-455, 491, 492, 493		
in T. 40 S., R. 3 E. ....	455-456, 491, 492, 493		
in T. 40 S., R. 4 E. ....	247, 456, 491, 492, 493		
in T. 40 S., R. 5 E. ....	457-458, 491, 492, 493		
in T. 40 S., R. 6 E. ....	247, 458, 491, 492, 493		
in T. 40 S., R. 7 E. ....	254, 459, 491, 492, 493		
in T. 40 S., R. 8 E. ....	459-460, 491, 492, 493		
in T. 40 S., R. 9 E. ....	460, 491, 492, 493		
		P.	
		Pacific arbor vitae. <i>See</i> Arbor vitae, Pacific.	
		Pacific dogwood. <i>See</i> Dogwood, Pacific.	
		Pacific plum. <i>See</i> Plum, Pacific.	
		Pacific yew. <i>See</i> Yew, Pacific.	
		Paper-leaf alder. <i>See</i> Alder, paper-leaf.	
		Parks, national, map showing forest reserves	
		and .....	In atlas
		Patton spruce. <i>See</i> Spruce, Patton.	
		Pecos River Reserve, Ariz., area and date	
		of establishment of .....	14
		Picea alba. <i>See</i> Spruce, white.	
		Picea engelmanni. <i>See</i> Spruce, Engelmann.	
		Picea sitchensis, amount in Tacoma quad-	
		rangle, Wash. ....	578
		<i>See</i> Spruce; Spruce, tide-land.	
		Pikes Peak Reserve, Colo., area and date of	
		establishment of .....	14
		Pine, gray, range, size, character, and occur-	
		rence of .....	517, 543
		Pine, Jeffrey, range, size, age, reproduction,	
		and occurrence of .....	524-525, 543, 548
		Pine limber, areas timbered by .....	41
		map showing distribution of .....	70
		size of .....	42
		Pine, lodgepole, amount in Lewis and	
		Clarke Reserve, Mont. ....	44
		amount in Mount Rainier Reserve,	
		Wash. ....	127
		areas timbered by .....	41, 99, 240, 537
		map showing distribution of .....	440
		plates showing .....	50, 62, 68, 72, 74, 276
		range of .....	99, 243, 536, 543
		rate of growth of .....	23, 107

	Page.		Page.
Pine, lodgepole, size, age, quality, and reproduction of.....	42, 59, 99, 537	Pinus flexilis. See Pine, limber.	
Pine, mountain, plate showing.....	98	Pinus jeffreyi. See Pine, Jeffrey.	
rate of growth of.....	107	Pinus lambertiana. See Pine, sugar.	
range, size, quality, and occurrence of..	100	Pinus monticola. See Pine, white; Pine, western white.	
See also Pine, white-bark; Pine, nut.		Pinus murrayana. See Pine, lodgepole.	
Pine Mountain and Zaca Lake Reserve, Cal., area and date of establishment of..	14	Pinus ponderosa. See Pine, yellow.	
Pine, nut, areas timbered by.....	41	Pinus sabiniana. See Pine, gray.	
plate showing.....	50	Pitt, Mount. See Mount Pitt.	
size and quality of.....	42, 59	Placerville quadrangle, Cal., classification of lands in.....	549
See also Pine, mountain; Pine, white-bark.		map showing classification of lands. In atlas stand of timber in.....	21
Pine, sugar, age, and reproduction of....	522-523	Placid Creek, Mont., plate showing view on	46
amount in Cascade Range Reserve, Oreg., and adjacent region.....	267, 474, 478, 496, 497	Placid Lake, Mont., plate showing views at and near.....	42, 50, 74
areas timbered by.....	238-239, 522	Plum Creek Reserve, Colo., area and date of establishment of.....	14
map showing distribution of.....	240	Plum, Pacific, range and occurrence of....	535, 543
range of.....	243, 522, 543	Plummer, F. G., report on Mount Rainier Reserve, Wash., by.....	81-143
size and quality of.....	275, 522, 548	work of.....	16
Pine, western white, range, size, age, reproduction and occurrence of....	539, 543, 548	Populus angustifolia. See Cottonwood.	
rate of growth of.....	24	Populus tremuloides. See Aspen; Aspen, quaking.	
See also Pine, white.		Populus trichocarpa. See Cottonwood; Cottonwood, black.	
Pine, white, amount in Cascade Range Reserve, Oreg., and adjacent region....	267, 474, 478, 496, 497	Port Orford quadrangle, Oreg., forest conditions in.....	576
amount in Lewis and Clarke Reserve, Mont.....	44	map showing land classification....	In atlas
amount in Mount Rainier Reserve, Wash.....	127	Prescott Reserve, Ariz., addition to.....	13
amount in Sandpoint quadrangle, Idaho.....	595	area and date of establishment of.....	14
areas timbered by.....	41, 98, 155, 239, 590-594	Priest River Reserve, Idaho-Wash., area and date of establishment of.....	14
map showing distribution of.....	48	Prunus demissa. See Chokecherry, western.	
plate showing.....	96	Prunus emarginata. See Bitter cherry.	
range of.....	98, 155, 243	Prunus subcordata. See Plum, Pacific.	
rate of growth of.....	107	Pseudotsuga mucronata. See Fir, red.	
size and quality of.....	42, 98, 275, 548	Pseudotsuga taxifolia, amount in Seattle quadrangle, Wash.....	580
See also Pine, western white.		amount in Tacoma quadrangle, Wash.....	578
Pine, white-bark, areas timbered by..	239-240, 541	See also Fir, red.	
maps showing distribution of.....	70, 320	Ptarmigan Peak, Mont., plate showing view of burn near.....	46
range of.....	243, 541, 543	Puyallup River, Wash., timber conditions in watershed of.....	111
rate of growth of.....	24	Pyramid Peak quadrangle, Cal., classification of lands in.....	549
size and reproduction of.....	541-542	map showing classification of lands..	In atlas
See also Pine, mountain; Pine, nut.		stand of timber in.....	21
Pine, yellow, age and reproduction of....	520-521	Pyrus rivularis. See Crab apple.	
amount in Cascade Range Reserve, Oreg., and adjacent region.....	267, 474, 478, 496, 497		
amount in Lewis and Clarke Reserve, Mont.....	44		
amount in Mount Rainier Reserve, Wash.....	127		
amount in Sandpoint quadrangle, Idaho	595		
areas timbered by.....	41, 99, 238, 520, 585-587		
maps showing distribution of.....	70, 134, 320		
plates showing.....	38, 42, 44, 68, 72, 74, 78, 96, 246, 250		
range of.....	99, 242, 243, 520, 543		
rate of growth of.....	23, 107		
size and quality of.....	42, 99, 275, 520, 548		
See also Yellow-pine type.			
Pinus albicaulis. See Pine, white-bark; Pine, mountain; Pine, nut.			

## Q.

Quaking aspen. See Aspen, quaking.	
Quercus californica. See Oak, California black.	
Quercus chrysolepis. See Oak, canyon live.	
Quercus densiflora. See Oak, tan-bark.	
Quercus douglasii. See Oak, California rock.	
Quercus dumosa. See Oak, California scrub.	
Quercus garryana. See Oak.	
Quercus lobata. See Oak, California white.	
Quercus morehus, size and occurrence of....	519
Quercus wislizeni. See Oak, California live	

	Page.		Page.
Quillayute Prairie, Wash., plate showing view of .....	184	Siskiyou Mountains, Oreg., plate showing view of .....	226
Quillayute River, plate showing view on...	186	topographic features of .....	226-227
		Siskiyou Peak, Oreg., elevation of .....	226
R.		Smith Creek, Mont., deadwood in valley of ..	62
Rainier, Mount. <i>See</i> Mount Rainier.		estimate of cutting on .....	63
Red cedar. <i>See</i> Cedar, red.		plate showing view of mill on .....	41
Red fir. <i>See</i> Fir, red.		timber in valley of .....	58
Red fir, California. <i>See</i> Fir, California red.		Snow, Oreg., plate showing method of hauling logs near .....	296
Red-fir type, composition and character in Cascade Range Reserve, Oreg., and adjacent region .....	251-259	Snow Range, Wash., plate showing view of ..	196
composition and character in Sandpoint quadrangle, Idaho .....	587-590	Soap Creek, Cal., plates showing forest near ..	520
Redwood, rate of growth of .....	24	Soleduck River, Wash., plates showing views on .....	184, 186
Rhamnus purshiana. <i>See</i> Bearberry.		Sonora quadrangle, Cal., classification of lands in .....	571
Rixon, T. F., work of .....	17	map showing classification of lands. In atlas	
Rixon, T. F., and Dodwell, Arthur, report on Olympic Forest Reserves, Wash., from notes by .....	145-208	stand of timber in .....	20
Rock Creek, Wash., timber conditions in watershed of .....	117-118	topographic features and forest conditions in .....	569-570
Rock oak, California. <i>See</i> Oak, California rock.		South Fork of American River, plate showing views of .....	536
Rogue River, Oreg., description of drainage area of .....	223-225	South Fork of Birch Creek, Mont., plate showing view on .....	78
plates showing views in valley of .....	250	South Fork of Cosumnes River, Cal., plate showing view of .....	546
plate showing view on North Fork of ..	276	South Fork of Deep Creek, Mont., timber in valley of .....	58
Roseburg quadrangle, Oreg., classification of lands in .....	577	South Fork of Depuyer Creek, Mont., estimate of cutting on .....	63
map showing land classification .... In atlas		timber in valley of .....	58
Rubicon River, Cal., plate showing view of ..	538	South Fork of Flathead Valley, Mont., agricultural land in .....	73
		area burned in .....	47
S.		deadwood in .....	49, 73
Salix lasiandra. <i>See</i> Willow, marsh.		estimate of timber in .....	44
San Bernardino Reserve, Cal., area and date of establishment of .....	14	fires and reproduction in .....	72
Sandpoint quadrangle, Idaho, classification of lands in .....	595	humus in .....	69
estimates of mill timber in .....	595	irrigation and water power in .....	73
forest conditions in .....	584-594	litter in .....	69
map showing land classification .... In atlas		rock, soil, and subsoil in .....	69
topographical features of .....	583-584	topographic features of .....	68
San Francisco Mountains Reserve, Ariz., area and date of establishment of ..	14	transportation facilities in .....	73
San Gabriel Reserve, Cal., area and date of establishment of .....	14	trees and timber in .....	70-71
San Jacinto quadrangle, Cal., forest conditions in .....	575-576	young growth and underbrush in .....	71
map showing land classification .... In atlas		South Fork of Mokelumne River, Cal., plate showing view on .....	530
San Jacinto Reserve, Cal., area and date of establishment of .....	14	South Fork of Stanislaus River, Cal., plate showing views on .....	508
Santa Inez Reserve, Cal., area of .....	13, 14	South Fork of Teton Creek, Mont., deadwood in valley of .....	62
Scrub oak, California. <i>See</i> Oak, California scrub.		estimate of cutting on .....	63
Seattle quadrangle, Wash., classification of lands in .....	579-580	plates showing views on .....	44, 54, 58
map showing land classification .... In atlas		timber in valley of .....	58
Sequoia gigantea. <i>See</i> Big tree.		South Gerlé Creek, Cal., plate showing view of .....	540
Shake timber, price of .....	545	South Platte Reserve, Colo., area and date of establishment of .....	14
Sierra Nevada, Cal., summary of work in ..	19-21	Spokane quadrangle, Wash., classification of lands in .....	582
Sierra Reserve, Cal., area and date of establishment of .....	14	map showing land classification .... In atlas	
Silver fir. <i>See</i> Fir, silver.		Spotted Bear, Mont., reproduction near .....	49
		Sprague River, Oreg., terrace near .....	231
		Spruce, amount and percentage in Coos Bay quadrangle, Oreg. ....	577

	Page.		Page.
Spruce, amount in Lewis and Clarke Reserve, Mont.....	44	Summit Creek, Cal., plate showing forest near.....	518
amount in Olympic Reserve, Wash.....	154	Summit Creek, Wash., mineral spring on ...	95
amount in Tacoma quadrangle, Wash..	578	Sun River, Mont., deadwood in valley of...	62
map showing distribution of.....	In atlas	settlements on.....	54
plates showing.....	184, 202, 204	<i>See also</i> North Fork and Middle Fork of Sun River.	
rate of growth of.....	24	Swan-Clearwater Valley, Mont., areas	
<i>See also</i> Spruce, tide-land.		burned in.....	47
Spruce, blue, rate of growth of.....	24	agricultural land and grazing in.....	80
Spruce, Douglas. <i>See</i> Fir, red.		deadwood in.....	49, 79
Spruce, Engelmann, amount in Cascade Range Reserve, Oreg., and adjacent region.....	267, 474, 478, 496, 497	estimate of timber in valley of.....	44
amount in Mount Rainier Reserve, Wash.....	127	fires in.....	77-78
areas timbered by.....	41, 102, 241	humus in.....	75
size and quality of.....	43, 59, 102, 275	litter in.....	75
plates showing.....	64, 100	means of transportation in.....	79
range of.....	102, 243, 244	reproduction in.....	78-79
rate of growth of.....	24, 108	rock, soil, and subsoil in.....	74-75
Spruce, Patton, rate of growth of.....	25	topographic features of.....	74
Spruce, tide-land, range, size, quality, and occurrence of.....	102-103	trees and timber in.....	75-76
<i>See also</i> Spruce.		water power in.....	80
Spruce, white, areas timbered by.....	41	young growth and underbrush in.....	76-77
Stampede Tunnel, Wash., temperature and snowfall at.....	90	Swan Lake, Mont., plates showing views of.	52, 66
Stanislaus grove, Cal., names of big trees in Stanislaus Reserve, Cal., area and date of establishment of.....	14	Swan River, Mont., plates showing forest in valley of.....	38, 42, 54, 62, 68, 72
boundaries of.....	506	reproduction on.....	49
classification of lands in.....	550	Sycan River, Oreg., effects of fires along ...	282
stand of timber in.....	21	terrace near.....	230
Stanislaus River, Cal. <i>See</i> South Fork and Middle Fork of Stanislaus River.			
Stanislaus and Lake Tahoe reserves, Cal., agriculture and agricultural lands in.....	511-512		
character and distribution of species in.....	517-544		
character of forest in.....	514-515		
composition of forest in.....	516-517		
effect of industries on reproduction in.....	551-557		
forest fires in.....	557-560		
forest land in.....	514		
grazing in.....	510-511		
lumbering and timber industries in.....	512-514		
mining in.....	509-510		
report on.....	499-561		
settlements in.....	508-509		
standing commercial timber in.....	547-550		
tables showing size and density of trees in.....	548		
topographic features of.....	507-508		
uses and market prices of timber in.....	544-547		
water supply in.....	508		
Steamboat Mountain, Wash., burn on.....	134		
Storehouse Creek, Mont., plate showing view of valley of.....	38		
settlement on.....	54		
Studding, price of.....	545		
Sudworth, G. B., report on Stanislaus and Lake Tahoe reserves by.....	499-561		
work of.....	20		
Sugar pine. <i>See</i> Pine, sugar.			

## T.

Tacoma quadrangle, Wash., classification of lands in.....	578-579
map showing land classification.....	In atlas
Tamarack, amount in Mount Rainier Reserve, Wash.....	127
amount in Sandpoint quadrangle, Idaho.....	595
plate showing.....	95
range, size, quality, and occurrence of..	104
rate of growth of.....	108
Tan-bark oak. <i>See</i> Oak, tan-bark.	
Tannum Lake, Wash., cutting near.....	138
Tatoosh Range, Wash., plate showing view of.....	92
Taxus brevifolia. <i>See</i> Yew; Yew, Pacific.	
Teton Creek, Mont., settlement on.....	54
<i>See also</i> North Fork and South Fork of Teton Creek.	
Teton Reserve, Wyo., area and date of establishment of.....	14
Thuja plicata, amount in Seattle quadrangle, Wash.....	580
amount in Tacoma quadrangle, Wash..	578
<i>See also</i> Cedar; Cedar, red.	
Tide-land spruce. <i>See</i> Spruce, tide-land.	
Tieton River, Wash., cutting along.....	138
mineral springs on.....	95
plate showing view of headwaters of ..	138
timber conditions in watershed of ...	123-124
Timber, uses and prices of.....	128, 544-547
Timber trees, defects and diseases of.....	109-110
table showing rate of growth of.....	107-109
Torreya, California, range, size, and occurrence of.....	535, 543
Trabuco Canyon Reserve, Cal., area and date of establishment of.....	14


	Page.		Page.
<i>Tsuga heterophylla</i> . <i>See</i> Hemlock.		Washington, timber conditions in T. 28 N.,	
<i>Tsuga mertensiana</i> , amount in Tacoma quadrangle, Wash. ....	578	R. 6 W. ....	180
<i>See also</i> Hemlock; Hemlock, western.		in T. 28 N., R. 7 W. ....	180-181
<i>Tsuga pattoniana</i> . <i>See</i> Hemlock; Hemlock, mountain.		in T. 28 N., R. 8 W. ....	181-182
<i>Tsuga pattonii</i> . <i>See</i> Hemlock, alpine; Hemlock, black.		in T. 28 N., R. 9 W. ....	182
<i>Tumion californicum</i> . <i>See</i> Torreya, California.		in T. 28 N., R. 10 W. ....	183
Tuolumne River, Cal., plate showing views on North Fork of. ....	506	in T. 28 N., R. 11 W. ....	183-184
Two Medicine Creek, Mont., deadwood in valley of. ....	62	in T. 28 N., R. 12 W. ....	184
U.		in T. 28 N., R. 13 W. ....	185
Uinta Reserve, Utah, area and date of establishment of. ....	14	in T. 28 N., R. 14 W. ....	185-186
Union Peak, Oreg., altitude of. ....	333	in T. 28 N., R. 15 W. ....	186
Umpqua divides, Oreg., plate showing view of summit of. ....	226	in T. 29 N., R. 3 W. ....	187
Umpqua Mountains, Oreg., topographic features of. ....	227-228	in T. 29 N., R. 4 W. ....	187-188
Upper Klamath Lake, Oreg., terraces near. ....	230	in T. 29 N., R. 5 W. ....	188-189
V.		in T. 29 N., R. 6 W. ....	189
Vernal Falls, Cal., plate showing view of. ....	572	in T. 29 N., R. 7 W. ....	189-190
Vine maple. <i>See</i> Maple, vine.		in T. 29 N., R. 8 W. ....	190-191
W.		in T. 29 N., R. 9 W. ....	191
Washington, timber conditions in T. 21 N.,		in T. 29 N., R. 10 W. ....	192
R. 5 W. ....	159	in T. 29 N., R. 11 W. ....	192-193
in T. 22 N., R. 5 W. ....	159-160	in T. 29 N., R. 12 W. ....	193-194
in T. 23 N., R. 5 W. ....	160-161	in T. 29 N., R. 13 W. ....	194-195
in T. 23 N., R. 6 W. ....	161	in T. 29 N., R. 14 W. ....	195
in T. 24 N., R. 4 W. ....	162	in T. 29 N., R. 15 W. ....	196
in T. 24 N., R. 5 W. ....	162-163	in T. 30 N., R. 9 W. ....	196-197
in T. 24 N., R. 6 W. ....	163	in T. 30 N., R. 10 W. ....	197-198
in T. 25 N., R. 3 W. ....	164	in T. 30 N., R. 11 W. ....	198-199
in T. 25 N., R. 4 W. ....	164-165	in T. 30 N., R. 12 W. ....	199
in T. 25 N., R. 5 W. ....	165	in T. 30 N., R. 13 W. ....	200
in T. 26 N., R. 3 W. ....	166	in T. 30 N., R. 14 W. ....	201
in T. 26 N., R. 4 W. ....	166-167	in T. 30 N., R. 15 W. ....	202
in T. 26 N., R. 5 W. ....	167	in T. 30 N., R. 16 W. ....	202-203
in T. 26 N., R. 6 W. ....	168	in T. 31 N., R. 14 W. ....	203-204
in T. 26 N., R. 7 W. ....	168-169	in T. 31 N., R. 15 W. ....	204-205
in T. 26 N., R. 12 W. ....	169	in T. 31 N., R. 16 W. ....	205
in T. 26 N., R. 13 W. ....	170	in T. 32 N., R. 14 W. ....	206
in T. 26 N., R. 14 W. ....	170-171	in T. 32 N., R. 15 W. ....	206-207
in T. 27 N., R. 3 W. ....	171	in T. 32 N., R. 16 W. ....	207-208
in T. 27 N., R. 4 W. ....	171-172	in T. 33 N., R. 14 W. ....	208
in T. 27 N., R. 5 W. ....	172	Washington Reserve, Wash., area and date of establishment of. ....	14
in T. 27 N., R. 6 W. ....	172-173	Washougal River, Wash., timber conditions in watershed of. ....	117
in T. 27 N., R. 7 W. ....	173	Wawona, Cal., plate showing view of. ....	572
in T. 27 N., R. 8 W. ....	174	Western chokecherry. <i>See</i> Chokecherry, western.	
in T. 27 N., R. 10 W. ....	174-175	Western dogwood. <i>See</i> Dogwood, western.	
in T. 27 N., R. 11 W. ....	175	Western hemlock. <i>See</i> Hemlock, western.	
in T. 27 N., R. 12 W. ....	176	Western juniper. <i>See</i> Juniper, western.	
in T. 27 N., R. 13 W. ....	176-177	Western larch. <i>See</i> Larch, western.	
in T. 27 N., R. 14 W. ....	177	Western white pine. <i>See</i> Pine, western white.	
in T. 27 N., R. 15 W. ....	178	White alder. <i>See</i> Alder, white.	
in T. 28 N., R. 3 W. ....	178	White-bark pine. <i>See</i> Pine, white-bark.	
in T. 28 N., R. 4 W. ....	179	White cedar. <i>See</i> Cedar, white.	
in T. 28 N., R. 5 W. ....	179-180	White fir. <i>See</i> Fir, white.	
		White oak, California. <i>See</i> Oak, California white.	
		White pine. <i>See</i> Pine, white.	
		White-pine type, composition and character in Sandpoint quadrangle, Idaho. ....	590-594
		White pine, western. <i>See</i> Pine, western white.	
		White River, Wash., timber conditions in watershed of. ....	111

	Page.		Page.
White Salmon River, Wash., timber conditions in watershed of.....	120-121	Yellow-pine type, composition and character in Sandpoint quadrangle, Idaho.....	585-587
White spruce. <i>See</i> Spruce, white.		Yellowstone Reserve, Wyo., area and date of establishment of.....	14
Williamson River, Oreg., plate showing view on.....	250	Yew, rate of growth of.....	109
Willow Creek, Mont., character of valley of.	68	<i>See also</i> Yew, Pacific.	
reproduction on.....	49	Yew, Pacific, range, size, quality, and occurrence of.....	105, 535-536, 543
settlements on.....	55	<i>See also</i> Yew.	
Willow, marsh, rate of growth of.....	109	Yosemite National Park, Cal., plates showing views in.....	570, 572
Wind River, Wash., character of valley of..	92	Yosemite quadrangle, Cal., classification of lands in.....	574
timber conditions in watershed of....	118-119	map showing classification of lands.. In atlas stand of timber in.....	20
Y.		topographic features and forest conditions in.....	571-573
Yakima River, Wash., timber conditions in watershed of.....	125-126		
Yellow fir. <i>See</i> Fir, red.			
Yellow pine. <i>See</i> Pine, yellow.			
Yellow-pine type, composition and character in Cascade Range Reserve, Oreg., and adjacent regions.....	246-251		






ENTY-FIRST ANNUAL REPORT PART V PL. CXLIII







# PINE REGION OF MINNESOTA

## SHOWING CLASSIFICATION OF LANDS

Compiled under the direction of Henry Gannett, Geographer in charge

B. I. B. A. Y. H. E. S

1899

Scale:

LEGEND

PREAHEAD

1

ORIGINAL, PROTEST PHYSICS  
LESS THAN 2000 PLOT BYORIGINAL PRICE  
\$1000 \$6000 PER

PLATE 117  
901423-1A

NO.	STANDARD OVER
1	
2	
3	
4	
5	
6	
7	
8	
9	
10	
11	
12	
13	
14	
15	
16	
17	
18	
19	
20	
21	
22	
23	
24	
25	
26	
27	
28	
29	
30	
31	
32	
33	
34	
35	
36	
37	
38	
39	
40	
41	
42	
43	
44	
45	
46	
47	
48	
49	
50	
51	
52	
53	
54	
55	
56	
57	
58	
59	
60	
61	
62	
63	
64	
65	
66	
67	
68	
69	
70	
71	
72	
73	
74	
75	
76	
77	
78	
79	
80	
81	
82	
83	
84	
85	
86	
87	
88	
89	
90	
91	
92	
93	
94	
95	
96	
97	
98	
99	
100	

— **NAME** — **DATE** —

100

LIBRARY OF CONGRESS  
  
0 021 528 593 5